

GENESEE COUNTY HABITAT FOR HUMANITY 101 BURTON STREET FLINT, MI 48503

#### SCOPE OF WORK: GENESEE COUNTY HABITAT FOR HUMANITY (GCHFH) is soliciting sealed proposals bids for providing:

#### • REHABILITATION OF A SINGLE-FAMILY HOME

For the homeowner occupied address: 2300 Flushing Rd. Flint, MI 48504

#### Per the specifications listed at: geneseehabitat.org

If your firm is interested in providing the requested services, please submit 1 original and 1 copy of your detailed proposal to Genesee County Habitat for Humanity 101 Burton Street Flint, MI 48503 by <u>7/25/18</u> before 5:00 PM (EST). Please note: All detailed proposals received after 5:00 PM (EST) will not be considered.

The Genesee County Habitat for Humanity (GCHFH) may hold proposals for a period of 60 days from opening, for the purpose of reviewing the results and investigating the qualifications of proposal prior to making an award. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all bids submitted. Vendors located within the corporate city limits of Flint, Michigan may be given a seven percent (7%) competitive price advantage. Additionally, if the lowest responsible vendor is not located within the limits of the City of Flint, but is located within the county of Genesee and vendor does not exceed the bid of the lowest non local bidder by more than three and one-half percent (3 %), the County vendor may have a competitive advantage. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all proposals submitted.

The successful bidder must comply with all requirements and pay prevailing wages and fringe benefits on this project per the City of Flint's Resolution R-1 2 adopted 4/8/91. Pursuant to the requirements of 1976 P.A. 453 (Michigan Civil Rights Act) and 1976 P.A. 220 (Michigan Handicapped Rights Act), the local unit and its agent agree not to discriminate against any employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment or a matter directly or indirectly related to employment because of race, color, religion, national origin, age, sex, height, weight, marital status or because of a handicap that is unrelated to the person's ability to perform the duties of nondiscrimination provision identical to this provision and binding upon any and all contractors and subcontractors.

Genesee County Habitat for Humanity provides equal employment opportunities (EEO) to all employees and applicants for employment without regard to race, color, religion, sex, national origin, age, disability or genetics.



# **TABLE OF CONTENTS**

INVITATION TO BUILD	. 1
INSTRUCTIONS TO BIDDERS	. 3
ADDITIONAL TERMS AND CONDITIONS	4
STANDARD TERMS AND CONDITIONS	6
HOUSE SPECIFICATION SHEETS & BID FORMS	10
BID SUMMARY	10
GENESEE COUNTY MINIMUM INSURANCE REQUIRED SECTION 3 PREFERENCE IN CONTRACTING AND	11
DEMONSTRATION OF CAPABILITY	12
WORK SPECIFICATIONS	14



## - REHABILITATION OF A SINGLE-FAMILY HOME

### **INSTRUCTIONS TO BIDDERS**

- 1. Sealed bids will be received from pre-qualified firms until 7/25/18 \_\_\_\_\_\_at Genesee County Habitat for Humanity, 101 Burton Street, Flint, MI, 48503. Label the bid as indicated on page 4 LATE BIDS AND BIDS SENT BY FACSIMILE OR BY EMAIL WILL NOT BE ACCEPTED.
- 2. A **Mandatory Walk-through Inspection** will be held on <u>7/18/18</u>, attendance at all walk-through inspections is required for the submission and consideration of any bid, the time for the mandatory walk-through inspection is <u>9am</u>.
- 3. The bid opening will take place on <u>7/26/18</u> at <u>9am</u> and is open to the public. It will be held at the Habitat for Humanity offices at 101 Burton St., Flint, MI 48503.
- 4. Submit one (1) original, one (1) hardcopy, and one (1) electronic copy of the bid response. All bids become the property of Genesee County Habitat for Humanity. The original must include a signature on the Signature Page of a person authorized to make a binding offer. Additionally, the bid response must consist of one copy in electronic format on a CD or USB thumb drive formatted in Adobe (.pdf), Microsoft Word, and/or Microsoft Excel. Failure to provide the required number of duplicate copies may result in rejection of your bid.
- 5. To be considered for award, each bidder must be a qualified contractor. A contractor is qualified when their submitted qualifications are received and approved by GCHFH.
- 6. Qualified bidders with contracts exceeding 90 days past signing, may be ineligible to bid on further projects until outstanding projects have been completed.
- 7. Insurance required per the specifications governing this work must be provided prior to the contract starting date and kept in full effect and compliance during entire contract period. Failure to comply with these provisions will cause termination of the contract.
- 8. The contractor agrees to be responsible for any loss or damage to property or persons due to the performance of services and the provision of supplies (equipment) herein contracted, and further agrees to protect and defend the Genesee County Habitat for Humanity against all claims or demands whatsoever, and to hold Genesee County Habitat for Humanity harmless from any loss or damage resulting therefrom.
- 9. After the award is made to the successful bidder(s), Genesee County Habitat for Humanity and the successful bidder will negotiate a final contract that substantially conforms to the Standard Construction Services Contract.
- 10. All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website: http://www.geneseehabitat.org/invitation-to-bid.html

Page **3** of **10** 



to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this IFB.

11. Use the following format for your bid:

Submit one (1) original, one (1) hardcopy, and one (1) electronic copy of the bid response to GCHFH– REHABILITATION OF A SINGLE-FAMILY HOME, 101 Burton Street Flint, MI 48503 all pages of bid forms and including Work Specifications

- Signed Signature Page
- Copy of the Contractor Approval Letter issued by the Genesee County Habitat for Humanity (GCHFH) stating the firm is qualified for the work within the City of Flint.
- Bid Summary
- Completed House Specification Sheets included after page 9 and all Bid Forms pages
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a **Bid Bond**, equal to 5% of the total compensation to be paid to the Contractor under the Contract.
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY

#### ADDITIONAL TERMS AND CONDITIONS

- **Issuing Office:** This IFB is issued by Genesee County Habitat for Humanity. The sole point of contact for this solicitation is Genesee County Habitat for Humanity 101 Burton street, Flint MI 48503, (810) 766-9089 ext. 211 and fax (810) 766-9094. E-mail is the preferred method of contact. <u>www.geneseehabitat.org/construction.html</u>
- <u>Questions & Inquiries</u>: All questions regarding this IFB must be addressed at the mandatory walk-through, as indicated on page 1. Written answers to questions to clarify this solicitation will be provided via an addendum. No verbal interpretation to any respondent as to the meaning of any requirement stated in this IFB shall be binding on Genesee County Habitat for Humanity.
- <u>Requirement for Bonds</u>: For Construction Contracts (job total) exceeding fifty thousand dollars (\$50,000.00) in amount, the Contractor must furnish a <u>performance</u> <u>bond and a payment bond</u>, each in an amount equal to ninety five percent (95%) of the total compensation to be paid to the Contractor under the Contract as security for the faithful performance of the Contract and as security for the payment of all persons performing labor and furnishing materials in connection with the performance of the Contract. The performance bond and the payment bond must be in such form as the Owner may require and must be delivered to the Owner prior to execution of the

# Habitat for Humanity

Contract by the Owner. The Contractor shall also be required, at no cost to the Owner, to provide Performance and Payment Bonds required by any utilities for performance of any utility Work or Work on utility lines or within utility easements. For construction Bids exceeding 100 thousand dollars (\$100,000) in amount, the Contractor must furnish a **bid bond**, equal to 5 percent (5%) of the total compensation to be paid to the Contractor under the Contract. The Surety must be acceptable to Genesee County Habitat for Humanity and must be approved to transact business in the State of Michigan.

- 4. **Copies to be Furnished to Beneficiaries:** Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment of obligations arising under the Contract, the Contractor must promptly furnish a copy of the bonds to such person or entity.
- 5. <u>Addenda</u>: Genesee County Habitat for Humanity reserves the right to amend and provide clarification of this solicitation prior to the date for bid submission. In such an event, an addendum will be posted on the Genesee County Habitat for Humanity website at (<u>http://www.geneseehabitat.org/invitation-to-bid.html</u>). All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this Invitation for Bids.
- Preparation of Bids & Cost: All costs incurred in the preparation of a response to this IFB will be the responsibility of the respondent, and will not be reimbursed by Genesee County Habitat for Humanity. Bids should be prepared simply and economically, providing a straightforward, concise description of the bidder's ability to meet the requirements of this IFB.
- 7. <u>Responsive Bids</u>: To ensure full consideration, all bidders shall submit a complete response to this IFB using the format provided in <u>Instruction to Bidders Item 10</u>. In addition, at least one of the bids submitted shall include an **original signature** of an official authorized to bind the bidder to its provisions. Any bid not prepared and submitted in accordance with this IFB or any bid lacking the information to enable Genesee County Habitat for Humanity to make a reasonable determination of compliance with the bid requirements may be considered "non-responsive" and rejected without further review.
- 8. <u>**Right To Reject:**</u> Genesee County Habitat for Humanity reserves the right to waive any informality in the invitation for bids; to reject any or all bids; and to make an award which it considers to be in the best interest of Genesee County Habitat for Humanity.
- 9. <u>Work Schedule</u>: After contracts have been signed and dated, the work must start within 15 calendar days after the contract is signed and must be completed within 90 days thereafter, according to the Work Activity Schedule. After 90 days have passed, GCHFH will charge the Contractor **liquidated damages** of \$200 per day for each business day the contracted work is not completed. The total amount will be deducted from the final



payment amount due to the Contractor. Contract extension requests should be submitted and approved by GCHFH, in writing, via Change Order. When an Invitation for Bids (IFB) includes multiple homes, each home will have a separate contract and work schedule.

1.1. **Payment Schedule:** Payments due the Contractor will be paid within 30 days after Genesee County Habitat for Humanity issues a certificate of completion, and receives the Contractor's satisfactory release of liens or claims for liens by sub- contractors, laborers, and materials suppliers for completed work or installed materials and invoice. Final payment shall not be made until GCHFH and the City of Flint has completed a final inspection and issued a certificate of completion. Contractors may draw on the contract for completed work if a Hold Order is filed and approved by the Contract Administrator.

## STANDARD TERMS AND CONDITIONS

- 1. **<u>Bid Opening</u>**: Bids will be opened publicly at the time and place designated in the Invitation for Bids. Bids will be open to public inspection in accordance with applicable State law.
- 2. <u>Evaluation and Award</u>: The contract will be awarded to the lowest responsible and responsive bidder whose bid meets the requirements and criteria set forth in the Invitation for Bids. Unless otherwise indicated in the Invitation for Bids, Genesee County Habitat for Humanity reserves the right to award the contract in whole or in part, by item, by group of items, or by section where such action serves the best interests of GCHFH. Genesee County Habitat for Humanity in any bid, and to negotiate with the apparent successful bidder(s) in the best interest of Genesee County Habitat for Humanity.
- 3. **Cancellation: Rejection of Bids**: The Invitation for Bids may be canceled by Genesee County Habitat for Humanity at any time for any reason. Any bid received may be rejected in whole or in part when in the best interests of Genesee County Habitat for Humanity.
- 4. <u>Receipt of Bids</u>: It is solely the responsibility of the bidder to assure the timely receipt of its bid at the location indicated in the bid announcement. LATE BIDS AND BIDS SENT BY FACSIMILE OR BY EMAIL WILL NOT BE ACCEPTED.
- 5. <u>**Tax**</u>: Genesee County Habitat for Humanity is a 5013C Corporation and as such it is exempt from Federal Excise Tax and Michigan Sales Tax.

# Habitat for Humanity

- 6. **Non-Discrimination:** The successful bidder/Contractor covenants that it will not discriminate against an employee or applicant of employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status or a disability that is unrelated to the individual's ability to perform the duties of a particular job or position, and that it will require the same non-discrimination assurances from any subcontractor who may be used to carry out duties described in this contract. Breach of this covenant shall be regarded as a material breach of this contract.
- 7. <u>**Performance Bond:**</u> If a performance bond is required, the bond must be issued by a company authorized to do business in the State of Michigan.
- 8. **Conflict of Interest:** Each bidder, by submitting a bid, represents that the bidder has no knowledge that any employee, representative or agent of the bidder is a Genesee County Habitat for Humanity employee who has directly or indirectly participated on behalf of Genesee County Habitat for Humanity in the contemplated procurement, or that any Genesee County Habitat for Humanity employee who has so participated or any member of such an employee's immediate family has a financial interest pertaining to the contemplated procurement from the bidder, and represents that the bidder reasonably believes that no employee, representative or agent of bidder is a Genesee County Habitat for Humanity employee who has so participated and that no Genesee County Habitat for Humanity employee who has so participated or member of that employee's immediate family has a financial interest procurement from the bidder is a Genesee County Habitat for Humanity employee who has so participated and that no Genesee County Habitat for Humanity employee who has so participated or member of that employee's immediate family has a financial interest in the contemplated procurement from the bidder.
- 9. Inspection: All goods are received subject to inspection and testing. If goods are defective or fail to meet the bid specifications, Genesee County Habitat for Humanity shall have the right to reject the goods or to correct the defects. The contractor shall pay Genesee County Habitat for Humanity for expenses incurred in correcting defects. Rejected goods will be held for forty-five days after delivery awaiting instructions from the contractor. After the forty-five day period, Genesee County Habitat for Humanity will dispose of the goods without further liability to Genesee County Habitat for Humanity. The contractor is responsible for the costs of handling, packing, and transportation incurred in returning or disposing of defective or non-conforming goods.
- 10. **<u>Bidder's Representations</u>**: Each bidder by submitting a bid represents as follows:
  - a. That the bidder has read and understood the bidding documents and has bid in accordance therewith;
  - b. That the bid has been submitted by a duly authorized owner, partner, or corporate officer;
  - c. That the bid submitted has been prepared independently without collusion, agreement, understanding, or planned common course of action with any other



supplier of the goods or services described in the Invitation for Bids, designed to limit independent bidding or competition.

- 11. <u>Independent Contractor</u>: Bidder agrees that if awarded a contract, bidder shall be an independent contractor and not an employee of Genesee County Habitat for Humanity. The contractor shall secure at its own expense all personnel required in supplying goods or services under the awarded contract. All such personnel shall have no contractual relationship with Genesee County Habitat for Humanity and shall not be considered employees of Genesee County Habitat for Humanity.
- 12. **Insurance:** Each bidder must submit a completed Bidder's Insurance Checklist, if so stipulated in the IFB. The required coverage and minimum limits may vary dependent upon the dollar amount of the contract, length of time of the contract, and the hazard level of the work or services to be performed. The types of insurance coverage may include: workers compensation, general liability, auto liability and/or professional liability. The insurer, insurance retention group, pool, or self-insurer must be authorized/licensed to provide such coverage within the State of Michigan and meet minimum financial ratings, if applicable, as supplied by Best or S & P.
- 13. <u>Indemnification</u>: The successful bidder shall defend, indemnify, and hold harmless Genesee County Habitat for Humanity and its officers and employees from and against all claims, losses, damages, and expenses including but not limited to attorney's fees, arising out of or resulting from the performance of the contract.
- 14. <u>Warranty</u>: The bidder warrants that all goods and services furnished under a contract resulting from the Invitation for Bids shall be in conformance with the bid documents and that the goods are of merchantable quality as described in the Uniform Commercial Code, Section 2-314, and fit for the purpose for which they are sold. This warranty is in addition to any manufacturer's standard warranty which may apply or any warranty provided by law, and is in addition to all other express warranties made by the bidder.
- 15. <u>Applicable Law</u>: Any contract resulting from the Invitation for Bids shall be governed by the laws of the State of Michigan. Unless otherwise provided in the contract documents, the contractor shall secure and pay for all permits, fees, duties, licenses, inspections, and approvals necessary for the execution and completion of the contract. The contractor shall give all notices and comply with all laws, ordinances, rules, regulations, and lawful orders of any public authority bearing on the performance of the contract.
- 16. **<u>Right to Inspect</u>**: Genesee County Habitat for Humanity may, at reasonable times, inspect the plant, place of business, or work site of a contractor or subcontractor which is pertinent to the performance of a contract or potential contract.
- 17. <u>**Right to Audit**</u>: Genesee County Habitat for Humanity may at reasonable times and places, audit the books and records of any contractor who has submitted cost or pricing



data as a part of its bid, to the extent that such books and records are pertinent to such cost or pricing data for a period of three years from the date of final payment under the contract. Genesee County Habitat for Humanity shall be entitled to audit the books and records of a contractor or subcontractor other than a firm fixed-price contract to the extent that such books and records are pertinent to the performance of such contract or subcontract. Such books and records shall be maintained by the contractor for a period of three years from the date of final payment under a prime contract and by the subcontractor for a period of three years from the date of final payment under a prime payment under a subcontract.

18. <u>Safety</u>: Genesee County Habitat for Humanity, as the owner of the premises where the service or work is to be performed, or as the purchaser of goods received, requires that all applicable Michigan Occupational Health & Safety (MIOSHA) Rules and Regulations are followed by your employees and that the goods meet the applicable safety regulation. All Center of Disease Control guidelines (CDC) incorporated by reference within the MIOSHA regulations must be followed.



## **HOUSE SPECIFICATION SHEETS & BID FORMS**

- Please bid on the attached GENESEE COUNTY HABITAT FOR HUMANITY HOME REHABILITATION PROGRAM – CONTRACTOR WORK ACTIVITY SCHEDULE. A cost is to be provided for every item/service listed.
- A contractor <u>must bid on the address</u> offered in this bid and provide the total bid amount in the Bid Summary.
- Submitted bids must be not more than 10% lower or 15% higher than the cost estimate. If the amount of any bid received is outside of this range, the bid shall be rejected.
- When required, Lead Reports for the corresponding house are available at the Genesee County Habitat for Humanity website <u>www.geneseehabitat.org/construction.html</u> click on – Current Bids, select the appropriate bid number and then the Lead Report for the address.
- Section 3 requirements: With respect to recipients of Housing and/or Community Development funding, all contractors (or subcontractors) receiving covered funds in excess of \$100,000 to complete projects involving housing construction, rehabilitation, or other public construction are required to comply with the requirements of Section 3. The threshold of \$100,000 is base on the BID TOTAL for Genesee County Habitat for Humanity Invitations for Bid.
   When BID TOTAL exceeds \$100,000 the form CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY is to be completed and included with the bid. When the award notification is made, the successful bidder will be instructed regarding the appropriate verification required prior to signing the contract.
- Contractors must verify all unit quantities listed on the enclosed specification sheets prior to submitting a bid.

	500
BID TOTAL	FOR
\$	
Date	 Page <b>10</b> of <b>10</b>

Genesee County Habitat for Humanity, 101 Burton Street, Flint, MI 48503 Office: (810) 766-9089 Fax: (810) 766-9094

			SPECS BY LOC	ATION/TRADE			
1	ΠÌ	Pre-Bid Site Visit:	<u>7/18/18 @ 9am</u>	Case Num	ber: _	GCH-1819	<u> </u>
	esee County	Bid Close Date:	<u>7/25/18 @ 9am</u>	Project Mana	ger: _	Thomas Hutch	ison
	lumanity		<u>7/26/18 @ 9am</u>	Ph	one _	(810)766-9089	ext.211
Add	ress: 23	300 Flushing Road		Unit: Unit 01			
Loca	ition:	1 - General Requirements	J	Approx. Wall SF: 0		Ceiling/Floor SF	F: 0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 1	General Requirements					
1	4	MSHDA FULL CODE REHAB This job is under the MSHDA Full Coor requires a final code inspection of wo inspection by Habitat before the final waiver, and requisite paperwork is su upon completion of work to schedule	rk performed and final invoice, full conditional bmitted. Contact Habita		AL		
2	6	LEAD SAFE HOMES PARTNERSHIP This project is being executed in partu Safe Homes. They will be responsible inspection and clearance. Lead repor	nership with DHHS Lea e for lead work including	l	AL		
3	36	BUILDING PERMIT REQUIRED The contractor is responsible for subr owner-prepared work write up to the l applying for, paying for and receiving starting any work.	building department,	1.00 o	EA		
4	38	PLUMBING PERMIT REQUIRED Prior to the start of work, the contract diagram, septic layout and all other di- apply for, pay for and receive a plumb the owner.	ocumentation needed to	1.00	EA		
Trade	: 5	Demolition & Disposal					
5	800	<b>DUMPSTER20 CUBIC YARDS</b> After procuring all required permits, p roll-off dumpster without damaging th construction debris using dust control	e site. Collect	1.00	EA		
Trade	: 27	Fire Protection					
6	8735	FIRE/SMOKE DETECTORCUSTOM Replace batteries in all smoke detect		6.00	EA		
				L	ocation	Total: _	
Loca	ition:	2 - Living Room	,	Approx. Wall SF: 0		Ceiling/Floor SF	÷: 0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 10	Carpentry					
7	3095	EXTERIOR DOOR REPAIRCUSTO	м	1.00	EA		

Addres	ss: 23	00 Flushing Road	Unit:	Unit 01			
Locatio	on:	2 - Living Room	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Sp	ec #	Spec		Quantity	Units	Unit Price	Total Price
Frade:	10	Carpentry					
		Replace exterior entry knob and deadbolt keyed the same.					
				L	ocation	Total:	
Locatio	on:	3 - Kitchen	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Sp	ec #	Spec		Quantity	Units	Unit Price	Total Price
Frade:	10	Carpentry					
3 2	2415	<b>SHOE MOLDING</b> Install preprimed pine shoe molding nailed 2' on center to create the tightest possible seal between the baseboard and floor using finish nails or tee headed brads.	ł	6.00	LF		
				L	ocation	Total:	
Locatio	on:	4 - 1st Floor Bathroom/Utility Room	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Sp	ec #	Spec		Quantity	Units	Unit Price	Total Price
Frade:	1	General Requirements					
97	709	<b>DEMO BATHROOM UTILITY ROOM</b> Remove commode and vanity to save for reinstallation. Remove washer, dryer, laundry tub, bathroom walls and storage closet walls and vinyl flooring.		1.00	RM		
Frade:	10	Carpentry					
10 3	3450	<b>DOOR WIDEN</b> Reframe opening for 36" door. Install prehung flush, hollow core, masonite door Include privacy lockset and offset hinges. Cut and remove doorstop below latch bolt opening. Assure remaining door stop is properly positioned and secu to the jam.	red	1.00	EA		
11 4	4160	<b>CLOSET</b> Construct a 36" deep by 56" wide closet in bathroom next to heating chase. Hang, tape and 3 coat finish 1/2" gypsum to both sides of the 2"x 3" framing. Hang a 3'x 6'8" louvered p bifold door including overhead track and hardware. Install a plywood shelves in cavity between heating chase and new w Match exterior base to room. Prep and prime ready to paint	ine wall.	1.00	EA		
Trade:	17	Drywall & Plaster					
12 5	5210	<b>DRYWALLPATCHLARGE</b> Cut back defective gypsum to expose half of the studs on easide of the hole. Cut and tightly fit drywall patch. Glue and or screw patch. Apply tape and 3 coats of compound feather out at least 8". Wet sand ready for paint.	nail	100.00	SF		

Location:     4 - 1st Floor Bathroom/Utility Room     Approx. Wall SF: 0     Celling/Floor SF: 0       Spec #     Spec     Quantity     Units     Units     Units     Unit Price     Total F       Trade:     19     Paint & Wallpaper     450.00     SF	Spec #         Spec         Quantity         Unit         Unit         Price         for           Trade:         19         Paint & Wallpaper         450.00         SF	Auar	ess: 23	00 Flushing Road U	mt:	Unit 01				
Trade:       19       Paint & Walipapor         13       5485       PREP & PAINT SURFACE       450.00       SF	Trade:       19       Paint & Walipapor         13       5485       PREP & PAINT SURFACE       450.00       SF	Locat	ion:	4 - 1st Floor Bathroom/Utility Room App	prox. V	Vall SF:	0		Ceiling/Floor SF:	0
3       5485       PREP & PAINT SURFACE       450.00       SF	3       5485       PREP & PAINT SURFACE       450.00       SF	S	pec #	Spec		Qua	ntity	Units	Unit Price	Total Price
Remove or cover hardware and accessories not to be painted.       Serape loose, painting, catca and bilsterda areas. Clean oil, grease, lungue, dit and dust from surfaces. Fill holes and catcas. Prime all new materials and spot prime existing with actylic lates. Top coal with owner's choice of premixed acrylic lates. The painting of the theorem is the cover hardware, flattures and accessories.         Trade:       20       Floor Covering:         4       5925       VINYL SHEET GOODS         Socure existing underlayment if present. Fill seams, holes and other defects with a manufacturer's recommendations. Install 070 with sheet goods with a minimum of seams per manufacturer's recommendations. Install metal edge strips in openings. Owner's choice of pattern and color.         Frade:       22       Plumbing         5       7180       BATH-344 (COMMLAV/SHOWER)       1.00       EA         66       7290       Horstall a STERLING Accord 36 in x 96 in x 74-1/2 in. Shower Stall or equal. Floor shall be no saling with a maintum 4" lip at entrance. Include hinged seat 19" off floor and a 1-12" cutside diameter chrome grabs aro noposite with. A single lever controt valve shall fleed a fixed shower head and a hand held shower withs shall fleed a fixed shower head and a hand held shower with stall a streek. Took shall be no value the manufactures to practice the samethy in its final properities with. A single lever controt valve shall fleed a fixed shower head and a hand held shower with stall for equal. How off stalles stell way the assembly in its final poposite, with a single lever diversion valve.       1.00       EA	Remove or cover hardware and accessories not to be painted. Sorape toose, fungue, drit and duat from surfaces. Fill holes and oracks. The coat with owner's choice of prime existing with acrylic lates. Top coat with owner's choice of prime existing with acrylic lates. Replace or uncover hardware, fixtures and accessories.         Trade:       20       Floor Covering:         4       5925       VINYL SHEET GOODS Secure existing underlayment if present. Fill seams, holes and other defects with a manufacturer approved filler to create a smooth surface. Instail 0.70° with sheet goods with a minimum of seams per manufacturer's recommendations. Instail metal edge strips in openings. Owner's choice of pattern and color.         Trade:       22       Plumbing         5       7180       BATH-34 (COMMILAVSHOWER) Rough in, supply with PCV castes and vent and copper supply to accomidate accessible shower, existing vanity and commode. Install Dath existing fixtures.       1.00       EA         6       7290       SHOWER-1ANDICAPED Install a STERLING Accord 36 in. x 60 in. x 74-12 in. Shower Stall or equal. Floor shall be no existing fixtures.       1.00       EA         7       810       WASHER-DRYER-STACKED-ENERGY STAR Washer such as the CE DCVH640EJW was a stackable combo in white namedel seel using the manufacturer's brocks to commed a single lever control valve shall feed a fixed shower head and a hand held shower with 50 radied steal washer and gavanized 4 inch duct with all seems sealed with duct in manufacture bracks to concert devestion valve.       1.00       EA	Trade:	19	Paint & Wallpaper						
14       5925       VINYL SHEET GOODS       100.00       SF	14       9925       VINYL SHEET GOODS       100.00       SF	13	5485	Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of premixed acrylic		45	0.00	SF		
Secure existing underlayment if present. Fill seams, holes and other defects with a manufacturer approved filer to create a smooth surface. Install OTV viny isheet goods with a minimum of seams per manufacturer's recommendations. Install metal edge strips in openings. Owner's choice of pattern and color.         Trade:       22       Plumbing         15       7180       BATH-3/4 (COMMLAV/SHOWER)       1.00       EA	Secure existing underlayment if present. Fill seams, holes and other defects with a manufacturer's recommendations. Install metal edge strips in openings. Owner's choice of pattern and color.         Trade:       22       Plumbing         15       7180       BATH-3/4 (COMMLAV/SHOWER) Rough in, supply with PVC waste and vent and copper supply to accomidate accessible shower, existing vanity and commode. Install bet hexisting futures.       1.00       EA	Trade:	20	Floor Coverings						
15       7180       BATH-3/4 (COMWILAV/SHOWER)       1.00       EA	15       7180       BATH3/4 (COMM/LAV/SHOWER)       1.00       EA	14	5925	Secure existing underlayment if present. Fill seams, holes and other defects with a manufacturer approved filler to create a smooth surface. Install 070" vinyl sheet goods with a minimum of seams per manufacturer's recommendations. Install metal		10	0.00	SF		
Rough in, supply with PVC waste and vent and copper supply to accomidate accessible shower, existing yanity and commode. Install both existing fixtures.       1.00       EA	Rough in, supply with PVC waste and vent and copper supply to accomidate accessible shower, existing vanity and commode. Install both existing fixtures.         16       7290       SHOWER-HANDICAPPED       1.00       EA	Trade:	22	Plumbing						
Install a STERLING Accord 36 in. x 60 in. x 74-1/2 in. Shower Stall or equal. Floor shall be non-slip with a maximum 4" lip at entrance. Include hinged seat 19" off floor and a 1-1/2" outside diameter chrome grab bar on opposite wall. A single lever control valve shall feed a fixed shower head and a hand held shower with 5' of stainless steel wrapped hose, through a single lever diversion valve. Trade: 25 Appliances 17 8510 WASHER-DRYER-STACKED-ENERGY STAR In new closet install a matched pair ENERGY STAR Washer such as the GE DCVH640EJWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet. Location Total:	Install a STERLING Accord 36 in. x 60 in. x 74-1/2 in. Shower         Stall or equal. Floor shall be non-slip with a maximum 4" lip at entrance. Include hinged seat 19" off floor and a 1-1/2" outside diameter chrome grab bar on opposite wall. A single lever control valve shall feed a fixed shower head and a hand held shower with 5' of stainless steel wrapped hose, through a single lever diversion valve.         Trade:       25       Appliances         17       8510       WASHER-DRYER-STACKED-ENERGY STAR In new closet install a matched pair ENERGY STAR Washer such as the GE WBVH6240HWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel with duct mastic, and securely fastened to framiline, connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using glavanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet.         Location:       5 - 2nd Floor Stairwell & Hall       Approx. Wall SF: 0       Ceiling/Floor SF: 0	15	7180	Rough in, supply with PVC waste and vent and copper supply to accomidate accessible shower, existing vanity and			1.00	EA		
17       8510       WASHER-DRYERSTACKEDENERGY STAR       1.00       EA         17       In new closet install a matched pair ENERGY STAR Washer such as the GE WBVH6240HWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet.       Location Total:	17       8510       WASHER-DRYERSTACKEDENERGY STAR In new closet install a matched pair ENERGY STAR Washer such as the GE WBVH6240HWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet.       Location Total:         Location:       5 - 2nd Floor Stairwell & Hall       Approx. Wall SF: 0       Ceiling/Floor SF: 0	16	7290	Install a STERLING Accord 36 in. x 60 in. x 74-1/2 in. Shower Stall or equal. Floor shall be non-slip with a maximum 4" lip at entrance. Include hinged seat 19" off floor and a 1-1/2" outside diameter chrome grab bar on opposite wall. A single lever control valve shall feed a fixed shower head and a hand held shower with 5' of stainless steel wrapped hose, through a			1.00	EA		
17       8510       WASHER-DRYERSTACKEDENERGY STAR       1.00       EA         17       In new closet install a matched pair ENERGY STAR Washer such as the GE WBVH6240HWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet.       Location Total:	17       8510       WASHER-DRYERSTACKEDENERGY STAR       1.00       EA         In new closet install a matched pair ENERGY STAR Washer such as the GE DCVH640EJWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from existing location to closet.       Location Total:         Location:       5 - 2nd Floor Stairwell & Hall       Approx. Wall SF: 0       Ceiling/Floor SF: 0	Trade:	25	Appliances						
	Location: 5 - 2nd Floor Stairwell & Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	17	8510	WASHER-DRYERSTACKEDENERGY STAR In new closet install a matched pair ENERGY STAR Washer such as the GE WBVH6240HWW and a 240 volt Electric Dryer such as the GE DCVH640EJWW as a stackable combo in white enameled steel using the manufacturer's brackets to connect the washer and dryer and level the assembly in its final position. Use braided steel water supply lines and a smooth rubber drain line connected to a 2 inch drain with trap. The dryer will be vented directly to the outside using galvanized 4 inch duct with all seams sealed with duct mastic, and securely fastened to framing. DO NOT use plastic dryer duct. A maximum 2 foot length of flexible metal duct is permissible between the dryer and the galvanized duct. Move electric from			1.00	EA		
Location:       5 - 2nd Floor Stairwell & Hall       Approx. Wall SF: 0       Ceiling/Floor SF: 0							L	ocation	Total:	
		Locat	ion:	5 - 2nd Floor Stairwell & Hall App	orox. V	Wall SF:	0		Ceiling/Floor SF:	0

Addre	ess: 230	0 Flushing Road	Unit:	Unit 01			
Locati	on:	5 - 2nd Floor Stairwell & Hall	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
S	pec #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
18	2520	HANDRAIL INTERIOR Install missing 2" round hardwood handrail from landing to 2 floor to code, and add continuous handrail up opposite wall screwed to metal handrail braces that are attached to studs with screws that enter the framing at least 1 inch, or if faste to a masonry wall use minimum 3/8 inch diameter plastic masonry plug fasteners and compatible screws. All edges w be eased to a smooth and rounded condition.	, ning	27.00	LF		
Trade:	23	Electric					
19	7730	<b>LIGHT FIXTUREREPLACE</b> Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps at base of the stairs.		1.00	EA		
				L	ocation	Total:	
Locati	on:	6 - Front West Bedroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
S	pec #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	23	Electric					
20	7675	<b>REPLACE LIGHT SWITCH</b> Replace light switch with single pole, toggle switch and plas cover plate to match surrounding.	stic	1.00	EA		
				L	ocation	Total:	
Locati	on:	7 - 2ed Floor Bathroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
S	pec #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
21	3940	<b>TUB/SHOWER GRAB BAR</b> Install 2 grab bars within the tub/shower alcove. Work with homeowner on placement. All bars shall be 1.25" diameter type 304, 18 gauge (.049), brushed satin stainless steel, wi round snap on covers and welded 3" flanges and a 1.5" spa between the bar and wall. Bars must be fastened securely the wall framing.	; th ace	2.00	EA		
Trade:	16	Conservation					
22	4836	CAULK OPENINGINTERIOR		1.00	EA		
		On tub and surround, remove old caulk, clean surface, and caulk joints and seams with continuous bead of a minimum year rated interior low VOC caulk.	30				
Trade:	19	Paint & Wallpaper					
23	5485	PREP & PAINT SURFACEFLAT		343.00	SF		

	00 Flushing Road	Unit:	Unit 01			
Location:	7 - 2ed Floor Bathroom	Approx	Wall SF: 0		Ceiling/Floor SF:	0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 19	Paint & Wallpaper					
	Remove or cover hardware and accessories not to be pain Scrape loose, peeling, cracked and blistered areas. Clean grease, fungus, dirt and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing wi acrylic latex. Top coat with white premixed acrylic latex. Replace or uncover hardware, fixtures and accessories.	oil,				
Trade: 22	Plumbing					
24 <b>7285</b>	<b>COMMODEHIGHRISE ADAPTOR</b> Install a clamp-on toilet seat adaptor with side grab bar suc the Glacier Bay 1-Piece Adjustable Elevated Toilet Seat or equal to elevate toilet seat level to at least 24" off finish floo		1.00	EA		
Trade: 23	Electric					
25 <b>7822</b>	FAN/LIGHT FIXTURECONTINUOUS WITH SWITCH ACTIVATED BOOST Install a Panasonic Whisper Green or equal ceiling mounte ENERGY STAR qualified Fan/Light fixture with a modulatin DC motor capable of 80 CFM operating at less than .3 Son with a night light, the capacity to run continuously at a pres CFM rating, a time delay feature for the boost setting, ventor w/ damper to exterior. Switch both the fan and light using a	g es, et ed	1.00	EA		
	single pole switch. tie into existing power and duct.	a				
		a	L	ocation.	Total:	
Location:			L Wall SF: 0	ocation	Total: Ceiling/Floor SF:	0
Location: Spec #	single pole switch. tie into existing power and duct.			ocation Units		0 Total Price
Spec #	single pole switch. tie into existing power and duct. 8 - Front East Bedroom		Wall SF: 0		Ceiling/Floor SF:	
Spec #	single pole switch. tie into existing power and duct. <b>8 - Front East Bedroom</b> Spec		Wall SF: 0		Ceiling/Floor SF:	
Spec # Trade: 10	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb.		Wall SF: 0 Quantity 1.00	Units	Ceiling/Floor SF: Unit Price	
Spec # Trade: 10	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb.	Approx	Wall SF: 0 Quantity 1.00	Units	Ceiling/Floor SF: Unit Price	Total Price
<b>Spec #</b> <u>Trade: 10</u> 26 <b>3345</b>	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.	Approx	Wall SF: 0 Quantity 1.00	Units	Ceiling/Floor SF: Unit Price	Total Price
Spec # Trade: 10 26 3345 Location: Spec #	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.  9 - Basement & Stairwell	Approx	Wall SF: 0 Quantity 1.00 L Wall SF: 0	Units EA	Ceiling/Floor SF: Unit Price	Total Pric
Spec # Trade: 10 26 3345 Location: Spec # Trade: 10	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.  9 - Basement & Stairwell Spec	Approx	Wall SF: 0 Quantity 1.00 L Wall SF: 0	Units EA	Ceiling/Floor SF: Unit Price	<b>Total Pric</b>
Spec # Trade: 10 26 3345 Location: Spec # Trade: 10	single pole switch. tie into existing power and duct.  8 - Front East Bedroom Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.  9 - Basement & Stairwell Spec Carpentry DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb.	Approx	Wall SF: 0 Quantity 1.00 L Wall SF: 0 Quantity	Units EA .ocation Units	Ceiling/Floor SF: Unit Price	Total Pric

Locat	ion:	9 - Basement & Stairwell A	prox.	Wall SF: 0		Ceiling/Floor SF:	0
s	pec #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	21	HVAC					
		Reattach duct hangers to floor joists where necessary					
Trade:	23	Electric					
29	7727	LIGHT FIXTUREPULL CHAIN Install a porcelain pull chain lamp fixture with a lamp on open electrical box.		1.00	EA		
30	7795	LIGHT FIXTURECUSTOM		1.00	EA		
		Reattach basement light fixture next to the furnace and water heater.					
Trade:	27	Fire Protection					
31	8722	<b>CARBON MONOXIDE DETECTOR</b> Install a hard wired or plug-in carbon monoxide detector with battery back up and with a digital display capable of showing both peak CO level recorded by the alarm since it was last reset or unplugged, and the present level of carbon monoxide the unit is sensing.		1.00	EA		
				L	ocation	Total:	
Locat	ion:	10 - Exterior A	oprox.	L Wall SF: 0	ocation	Total: Ceiling/Floor SF:	0
	ion: spec #	10 - Exterior A Spec	oprox.		ocation Units		0 Total Price
			oprox.	Wall SF: 0		Ceiling/Floor SF:	
S Trade:	pec #	Spec	oprox.	Wall SF: 0		Ceiling/Floor SF:	
	pec # 6	Spec Concrete & Paving CONCRETE STEP REPAIR Repair concrete steps from sidewalk to the landing. Round all nosings and fill at internal corners; trowl and broom finish.	oprox.	Wall SF: 0 Quantity	Units	Ceiling/Floor SF:	
<b>5</b> Trade: 32	5pec # 6 925	Spec Concrete & Paving CONCRETE STEP REPAIR Repair concrete steps from sidewalk to the landing. Round all nosings and fill at internal corners; trowl and broom finish. Cure with sprayable membrane and remove forms.	g	Wall SF: 0 Quantity	Units	Ceiling/Floor SF:	
S Trade: 32 Trade:	5pec # 6 925 7	Spec         Concrete & Paving         CONCRETE STEP REPAIR         Repair concrete steps from sidewalk to the landing. Round all nosings and fill at internal corners; trowl and broom finish. Cure with sprayable membrane and remove forms.         Masonry         CHIMNEYREPOINT         Repair chimney above roof area by cutting out mortar at least 1/2", removing all loose material, and repointing using portland cement mortar. Saturate joints with water before applying mortar. Match color as closely as possible. Replace all missin and defective materials with matching materials. Clean mortar	g	Wall SF: 0 Quantity 30.00	<b>Units</b> SF	Ceiling/Floor SF:	

Location:	10 - Exterior Appro	x. Wall SF: 0		Ceiling/Floor SF:	0
Spec #	Spec	Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry				
35 <b>2525</b>	HAND RAIL WITH BALUSTERS On the front of the house replace posts, stair rail and ballusters from the sidewalk to the deck. In the rear replace all stair and handrail including posts and ballusters. All to match existing style with treated lumber to code.	84.00	LF		
36 <b>2635</b>	<b>SIDINGVINYL REPAIR</b> Repair or replace up to 1 square of loose or damaged siding to nearest stud. Match existing as closely as possible in color, exposure and texture. If additional repair is necessary, it will be completed on a change order basis.	100.00	SF		
37 <b>2680</b>	WRAP TRIM-ALUMINUM On east side of porch replaced damaged fascia wrap with white aluminum breaker stock. Back caulk all seams with siliconized acrylic to create an air tight installation.	12.00	LF		
38 <b>3075</b>	<b>DOOR CASINGREPLACE</b> Remove existing trim. Replace exterior door wall trim, and j channel where necessary.	1.00	LF		
Trade: 15	Roofing				
39 <b>4580</b>	<b>TEAR OFF AND REROOF SHINGLES</b> Remove and dispose of all roofing & defective sheathing. Cut a 1" wide vent at ridge board. Replace up to 5 sf of sheathing per 100 sf of roof using pine board or CDX plywood of matching thickness. Staple 15 lb felt. Install preformed white aluminum, drip edge, and vent pipe boots. Install a dimentional shingle with a 25 yr warranty.Color choice by owner. Replace all flashing. Install shingle-over ridge vent.	12.00	SQ		
40 <b>4645</b>	<b>GUTTER/DOWNSPOUT5" SEAMLESS</b> On the east side of front deck, replace gutter, run downspout under deck to other side of front entry and away from house.	48.00	LF		
Trade: 19	Paint & Wallpaper				
1 5800	<b>PREP &amp; PAINT FOUNDATION</b> On exposed exterior foundation scrape loose, peeling, cracked, blistered paint from concrete surface. Wash dirt fungus, dust from surface. Spot prime and top coat with white concrete sealer and masonry water repellent.	125.00	SF		
Trade: 23	Electric				
2 <b>8155</b>	<b>EXTERIOR LIGHTREPLACE</b> At back door wall and driveway side of house replace existing flood lights with white 2 bulb outdoor floods with 200° detection motion sensor, and led bulbs	2.00	EA		

Unit Total for 2300 Flushing Road, Unit Unit 01:

Address Grand Total for 2300 Flushing Road:

Bidder: