

GENESEE COUNTY HABITAT FOR HUMANITY 101 BURTON STREET FLINT, MI 48503

SCOPE OF WORK:

GENESEE COUNTY HABITAT FOR HUMANITY (GCHFH) is soliciting sealed proposals bids for providing:

• REHABILITATION OF A SINGLE-FAMILY HOME

For the homeowner occupied address: _2429 Prospect St. Flint, MI 48504

Per the specifications listed at: geneseehabitat.org

If your firm is interested in providing the requested services, please submit 1 original and 1 copy of your detailed proposal to Genesee County Habitat for Humanity 101 Burton Street Flint, MI 48503 by __4/11/18 _______ before 5:00 PM (EST). Please note: All detailed proposals received after 5:00 PM (EST) will not be considered.

The Genesee County Habitat for Humanity (GCHFH) may hold proposals for a period of 60 days from opening, for the purpose of reviewing the results and investigating the qualifications of proposal prior to making an award. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all bids submitted. Vendors located within the corporate city limits of Flint, Michigan may be given a seven percent (7%) competitive price advantage. Additionally, if the lowest responsible vendor is not located within the limits of the City of Flint, but is located within the county of Genesee and vendor does not exceed the bid of the lowest non local bidder by more than three and one-half percent (3 %), the County vendor may have a competitive advantage. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all proposals submitted.

The successful bidder must comply with all requirements and pay prevailing wages and fringe benefits on this project per the City of Flint's Resolution R-1 2 adopted 4/8/91. Pursuant to the requirements of 1976 P.A. 453 (Michigan Civil Rights Act) and 1976 P.A. 220 (Michigan Handicapped Rights Act), the local unit and its agent agree not to discriminate against any employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment or a matter directly or indirectly related to employment because of race, color, religion, national origin, age, sex, height, weight, marital status or because of a handicap that is unrelated to the person's ability to perform the duties of nondiscrimination provision identical to this provision and binding upon any and all contractors and subcontractors.

Genesee County Habitat for Humanity provides equal employment opportunities (EEO) to all employees and applicants for employment without regard to race, color, religion, sex, national origin, age, disability or genetics.



TABLE OF CONTENTS

INVITATION TO BUILD	1
INSTRUCTIONS TO BIDDERS	3
ADDITIONAL TERMS AND CONDITIONS	4
STANDARD TERMS AND CONDITIONS	. 6
HOUSE SPECIFICATION SHEETS & BID FORMS	10
BID SUMMARY	10
GENESEE COUNTY MINIMUM INSURANCE REQUIREDSECTION 3 PREFERENCE IN CONTRACTING AND	11
DEMONSTRATION OF CAPABILITY	12
WORK SPECIFICATIONS	14



_<mark>- REHAB</mark>ILITATION OF A SINGLE-FAMILY HOME

INSTRUCTIONS TO BIDDERS

1.	Sealed bids will be received from pre-qualified firms until 4/11/18 @ 5pm at Genesee
	County Habitat for Humanity, 101 Burton Street, Flint, MI, 48503. Label the bid as indicated
	on page 4 LATE BIDS AND BIDS SENT BY FACSIMILE OR BY EMAIL WILL NOT BE
	ACCEPTED.

2.	A Mandatory Walk-through Inspection will be held on <u>4/4/18</u> ,	
	attendance at all walk-through inspections is required for the submission and cons	ideration
	of any bid, the time for the mandatory walk-through inspection is <u>9:30am</u> .	

- 3. The bid opening will take place on <u>4/12/18</u> at <u>9am</u> and is open to the public. It will be held at the Habitat for Humanity offices at 101 Burton St., Flint, MI 48503.
- 4. **Submit one (1) original, one (1) hardcopy, and one (1) electronic copy of the bid response**. All bids become the property of Genesee County Habitat for Humanity. The original must include a signature on the Signature Page of a person authorized to make a binding offer. Additionally, the bid response must consist of one copy in electronic format on a CD or USB thumb drive formatted in Adobe (.pdf), Microsoft Word, and/or Microsoft Excel. Failure to provide the required number of duplicate copies may result in rejection of your bid.
- 5. To be considered for award, each bidder must be a qualified contractor. A contractor is qualified when their submitted qualifications are received and approved by GCHFH.
- 6. Qualified bidders with contracts exceeding 90 days past signing, may be ineligible to bid on further projects until outstanding projects have been completed.
- 7. Insurance required per the specifications governing this work must be provided prior to the contract starting date and kept in full effect and compliance during entire contract period. Failure to comply with these provisions will cause termination of the contract.
- 8. The contractor agrees to be responsible for any loss or damage to property or persons due to the performance of services and the provision of supplies (equipment) herein contracted, and further agrees to protect and defend the Genesee County Habitat for Humanity against all claims or demands whatsoever, and to hold Genesee County Habitat for Humanity harmless from any loss or damage resulting therefrom.
- 9. After the award is made to the successful bidder(s), Genesee County Habitat for Humanity and the successful bidder will negotiate a final contract that substantially conforms to the Standard Construction Services Contract.
- 10. All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website: http://www.geneseehabitat.org/invitation-to-bid.html



to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this IFB.

11. Use the following format for your bid:

Submit one (1) original, one (1) hardcopy, and one (1) electronic copy of the bid response to GCHFH—REHABILITATION OF A SINGLE-FAMILY HOME, 101 Burton Street Flint, MI 48503 all pages of bid forms and including Work Specifications

- Signed Signature Page
- Copy of the Contractor Approval Letter issued by the Genesee County Habitat for Humanity (GCHFH) stating the firm is qualified for the work within the City of Flint.
- Bid Summary
- Completed House Specification Sheets included after page 9 and all Bid Forms pages
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a Bid Bond, equal to 5% of the total compensation to be paid to the Contractor under the Contract.
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY

ADDITIONAL TERMS AND CONDITIONS

- <u>Issuing Office</u>: This IFB is issued by Genesee County Habitat for Humanity. The sole point of contact for this solicitation is Genesee County Habitat for Humanity 101 Burton street, Flint MI 48503, (810) 766-9089 ext. 211 and fax (810) 766-9094. E-mail is the preferred method of contact. www.geneseehabitat.org/construction.html
- Questions & Inquiries: All questions regarding this IFB must be addressed at the mandatory walk-through, as indicated on page 1. Written answers to questions to clarify this solicitation will be provided via an addendum. No verbal interpretation to any respondent as to the meaning of any requirement stated in this IFB shall be binding on Genesee County Habitat for Humanity.
- Requirement for Bonds: For Construction Contracts (job total) exceeding fifty thousand dollars (\$50,000.00) in amount, the Contractor must furnish a performance bond and a payment bond, each in an amount equal to ninety five percent (95%) of the total compensation to be paid to the Contractor under the Contract as security for the faithful performance of the Contract and as security for the payment of all persons performing labor and furnishing materials in connection with the performance of the Contract. The performance bond and the payment bond must be in such form as the Owner may require and must be delivered to the Owner prior to execution of the

Contract by the Owner. The Contractor shall also be required, at no cost to the Owner, to provide Performance and Payment Bonds required by any utilities for performance of any utility Work or Work on utility lines or within utility easements. For construction Bids exceeding 100 thousand dollars (\$100,000) in amount, the Contractor must furnish a **bid bond**, equal to 5 percent (5%) of the total compensation to be paid to the Contractor under the Contract. The Surety must be acceptable to Genesee County Habitat for Humanity and must be approved to transact business in the State of Michigan.

- 4. <u>Copies to be Furnished to Beneficiaries</u>: Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment of obligations arising under the Contract, the Contractor must promptly furnish a copy of the bonds to such person or entity.
- 5. Addenda: Genesee County Habitat for Humanity reserves the right to amend and provide clarification of this solicitation prior to the date for bid submission. In such an event, an addendum will be posted on the Genesee County Habitat for Humanity website at (http://www.geneseehabitat.org/invitation-to-bid.html). All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this Invitation for Bids.
- 6. **Preparation of Bids & Cost**: All costs incurred in the preparation of a response to this IFB will be the responsibility of the respondent, and will not be reimbursed by Genesee County Habitat for Humanity. Bids should be prepared simply and economically, providing a straightforward, concise description of the bidder's ability to meet the requirements of this IFB.
- 7. Responsive Bids: To ensure full consideration, all bidders shall submit a complete response to this IFB using the format provided in <u>Instruction to Bidders Item 10</u>. In addition, at least one of the bids submitted shall include an **original signature** of an official authorized to bind the bidder to its provisions. Any bid not prepared and submitted in accordance with this IFB or any bid lacking the information to enable Genesee County Habitat for Humanity to make a reasonable determination of compliance with the bid requirements may be considered "non-responsive" and rejected without further review.
- 8. Right To Reject: Genesee County Habitat for Humanity reserves the right to waive any informality in the invitation for bids; to reject any or all bids; and to make an award which it considers to be in the best interest of Genesee County Habitat for Humanity.
- 9. Work Schedule: After contracts have been signed and dated, the work must start within 15 calendar days after the contract is signed and must be completed within 90 days thereafter, according to the Work Activity Schedule. After 90 days have passed, GCHFH will charge the Contractor liquidated damages of \$200 per day for each business day the contracted work is not completed. The total amount will be deducted from the final



payment amount due to the Contractor. Contract extension requests should be submitted and approved by GCHFH, in writing, via Change Order. When an Invitation for Bids (IFB) includes multiple homes, each home will have a separate contract and work schedule.

1.1. Payment Schedule: Payments due the Contractor will be paid within 30 days after Genesee County Habitat for Humanity issues a certificate of completion, and receives the Contractor's satisfactory release of liens or claims for liens by sub-contractors, laborers, and materials suppliers for completed work or installed materials and invoice. Final payment shall not be made until GCHFH and the City of Flint has completed a final inspection and issued a certificate of completion. Contractors may draw on the contract for completed work if a Hold Order is filed and approved by the Contract Administrator.

STANDARD TERMS AND CONDITIONS

- Bid Opening: Bids will be opened publicly at the time and place designated in the Invitation for Bids. Bids will be open to public inspection in accordance with applicable State law.
- 2. Evaluation and Award: The contract will be awarded to the lowest responsible and responsive bidder whose bid meets the requirements and criteria set forth in the Invitation for Bids. Unless otherwise indicated in the Invitation for Bids, Genesee County Habitat for Humanity reserves the right to award the contract in whole or in part, by item, by group of items, or by section where such action serves the best interests of GCHFH. Genesee County Habitat for Humanity reserves the right to reject any or all bids, to waive any informality in any bid, and to negotiate with the apparent successful bidder(s) in the best interest of Genesee County Habitat for Humanity.
- 3. Cancellation: Rejection of Bids: The Invitation for Bids may be canceled by Genesee County Habitat for Humanity at any time for any reason. Any bid received may be rejected in whole or in part when in the best interests of Genesee County Habitat for Humanity.
- Receipt of Bids: It is solely the responsibility of the bidder to assure the timely receipt of its bid at the location indicated in the bid announcement. LATE BIDS AND BIDS SENT BY FACSIMILE OR BY EMAIL WILL NOT BE ACCEPTED.
- 5. <u>Tax</u>: Genesee County Habitat for Humanity is a 5013C Corporation and as such it is exempt from Federal Excise Tax and Michigan Sales Tax.

Habitat for Humanity

- 6. **Non-Discrimination:** The successful bidder/Contractor covenants that it will not discriminate against an employee or applicant of employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status or a disability that is unrelated to the individual's ability to perform the duties of a particular job or position, and that it will require the same non-discrimination assurances from any subcontractor who may be used to carry out duties described in this contract. Breach of this covenant shall be regarded as a material breach of this contract.
- 7. **Performance Bond:** If a performance bond is required, the bond must be issued by a company authorized to do business in the State of Michigan.
- 8. Conflict of Interest: Each bidder, by submitting a bid, represents that the bidder has no knowledge that any employee, representative or agent of the bidder is a Genesee County Habitat for Humanity employee who has directly or indirectly participated on behalf of Genesee County Habitat for Humanity in the contemplated procurement, or that any Genesee County Habitat for Humanity employee who has so participated or any member of such an employee's immediate family has a financial interest pertaining to the contemplated procurement from the bidder, and represents that the bidder reasonably believes that no employee, representative or agent of bidder is a Genesee County Habitat for Humanity employee who has so participated and that no Genesee County Habitat for Humanity employee who has so participated or member of that employee's immediate family has a financial interest in the contemplated procurement from the bidder.
- 9. Inspection: All goods are received subject to inspection and testing. If goods are defective or fail to meet the bid specifications, Genesee County Habitat for Humanity shall have the right to reject the goods or to correct the defects. The contractor shall pay Genesee County Habitat for Humanity for expenses incurred in correcting defects. Rejected goods will be held for forty-five days after delivery awaiting instructions from the contractor. After the forty-five day period, Genesee County Habitat for Humanity will dispose of the goods without further liability to Genesee County Habitat for Humanity. The contractor is responsible for the costs of handling, packing, and transportation incurred in returning or disposing of defective or non-conforming goods.
- 10. **<u>Bidder's Representations</u>**: Each bidder by submitting a bid represents as follows:
 - a. That the bidder has read and understood the bidding documents and has bid in accordance therewith;
 - b. That the bid has been submitted by a duly authorized owner, partner, or corporate officer;
 - c. That the bid submitted has been prepared independently without collusion, agreement, understanding, or planned common course of action with any other



supplier of the goods or services described in the Invitation for Bids, designed to limit independent bidding or competition.

- 11. <u>Independent Contractor</u>: Bidder agrees that if awarded a contract, bidder shall be an independent contractor and not an employee of Genesee County Habitat for Humanity. The contractor shall secure at its own expense all personnel required in supplying goods or services under the awarded contract. All such personnel shall have no contractual relationship with Genesee County Habitat for Humanity and shall not be considered employees of Genesee County Habitat for Humanity.
- 12. <u>Insurance</u>: Each bidder must submit a completed Bidder's Insurance Checklist, if so stipulated in the IFB. The required coverage and minimum limits may vary dependent upon the dollar amount of the contract, length of time of the contract, and the hazard level of the work or services to be performed. The types of insurance coverage may include: workers compensation, general liability, auto liability and/or professional liability. The insurer, insurance retention group, pool, or self-insurer must be authorized/licensed to provide such coverage within the State of Michigan and meet minimum financial ratings, if applicable, as supplied by Best or S & P.
- 13. <u>Indemnification</u>: The successful bidder shall defend, indemnify, and hold harmless Genesee County Habitat for Humanity and its officers and employees from and against all claims, losses, damages, and expenses including but not limited to attorney's fees, arising out of or resulting from the performance of the contract.
- 14. Warranty: The bidder warrants that all goods and services furnished under a contract resulting from the Invitation for Bids shall be in conformance with the bid documents and that the goods are of merchantable quality as described in the Uniform Commercial Code, Section 2-314, and fit for the purpose for which they are sold. This warranty is in addition to any manufacturer's standard warranty which may apply or any warranty provided by law, and is in addition to all other express warranties made by the bidder.
- 15. Applicable Law: Any contract resulting from the Invitation for Bids shall be governed by the laws of the State of Michigan. Unless otherwise provided in the contract documents, the contractor shall secure and pay for all permits, fees, duties, licenses, inspections, and approvals necessary for the execution and completion of the contract. The contractor shall give all notices and comply with all laws, ordinances, rules, regulations, and lawful orders of any public authority bearing on the performance of the contract.
- 16. **Right to Inspect:** Genesee County Habitat for Humanity may, at reasonable times, inspect the plant, place of business, or work site of a contractor or subcontractor which is pertinent to the performance of a contract or potential contract.
- 17. Right to Audit: Genesee County Habitat for Humanity may at reasonable times and places, audit the books and records of any contractor who has submitted cost or pricing

Habitat for Humanity

data as a part of its bid, to the extent that such books and records are pertinent to such cost or pricing data for a period of three years from the date of final payment under the contract. Genesee County Habitat for Humanity shall be entitled to audit the books and records of a contractor or subcontractor other than a firm fixed-price contract to the extent that such books and records are pertinent to the performance of such contract or subcontract. Such books and records shall be maintained by the contractor for a period of three years from the date of final payment under a prime contract and by the subcontractor for a period of three years from the date of final payment under a subcontract.

18. <u>Safety</u>: Genesee County Habitat for Humanity, as the owner of the premises where the service or work is to be performed, or as the purchaser of goods received, requires that all applicable Michigan Occupational Health & Safety (MIOSHA) Rules and Regulations are followed by your employees and that the goods meet the applicable safety regulation. All Center of Disease Control guidelines (CDC) incorporated by reference within the MIOSHA regulations must be followed.



HOUSE SPECIFICATION SHEETS & BID FORMS

- Please bid on the attached GENESEE COUNTY HABITAT FOR HUMANITY HOME REHABILITATION PROGRAM – CONTRACTOR WORK ACTIVITY SCHEDULE. A cost is to be provided for every item/service listed.
- A contractor <u>must bid on the address</u> offered in this bid and provide the total bid amount in the Bid Summary.
- Submitted bids must be not more than 10% lower or 15% higher than the cost estimate. If the amount of any bid received is outside of this range, the bid shall be rejected.
- When required, Lead Reports for the corresponding house are available at the Genesee County Habitat for Humanity website www.geneseehabitat.org/construction.html click on – Current Bids, select the appropriate bid number and then the Lead Report for the address.
- Section 3 requirements:

BID SUMMARY

With respect to recipients of Housing and/or Community Development funding, all contractors (or subcontractors) receiving covered funds in excess of \$100,000 to complete projects involving housing construction, rehabilitation, or other public construction are required to comply with the requirements of Section 3. The threshold of \$100,000 is base on the BID TOTAL for Genesee County Habitat for Humanity Invitations for Bid.

When BID TOTAL exceeds \$100,000 the form **CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY** is to be completed and included with the bid.
When the award notification is made, the successful bidder will be instructed regarding the appropriate verification required prior to signing the contract.

 Contractors must verify all unit quantities listed on the enclosed specification sheets prior to submitting a bid.

ADDRESS & JOB #	BID TOTAL FOR
Company/Phone	
Signature	Date



SPECS BY LOCATION/TRADE

Pre-Bid Site Visit: 4/4/18 @ 9:30am Case Number: GCH-1813

Bid Close Date: 4/11/18 @ 5pm Project Manager: Thomas Hutchison

Bid Opening Date: 4/12/18 @ 9am Phone (810)766-9089 ext.211

Addr	ess:	2429	Prospect Street	Unit:	Unit 01			
Locat	ion:		1 - General Requirements	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
s	pec i	#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	1	1	General Requirements					
1	36		BUILDING PERMIT REQUIRED The contractor is responsible for submitting this owner-prepared work write up to the building department, applying for, paying for and receiving a building permit prior starting any work.	to	1.00	EA		
Trade:	5	5	Demolition & Disposal					
2	802		DUMPSTER40 CUBIC YARDS After procuring all required permits, place a 40 cubic yard, roll-off dumpster without damaging the site. Collect construction debris using dust control methods.		1.00	EA		
Trade:	9	•	Environmental Rehab					
3	902	0	LEAD-BASED PAINT REGULATIONS - FEDERALLY		1.00	GR		

LEAD-BASED PAINT REGULATIONS - FEDERALLY FUNDED HOUSING REHABILITATION

Lead Test Results Available Upon Request
Per HUD Regulation 24 CFR Part 35: the contractor must
conform to the Lead-based paint requirements for rehabilitation
in the appropriate category listed below, based on the amount
of rehabilitation assistance provided.

- 1. When the Federal Rehabilitation Assistance is \$1 to \$5,000 per unit:
- a. The Contractor shall implement safe work practices during rehabilitation work in accordance with Sec. 35.1350 and repair any paint that is disturbed.
- b. After completion of any rehabilitation disturbing painted surfaces, each work site must pass a clearance examination in accordance with Sec. 35.1340. Neither Clearance nor Lead Safe Work Practices are required if rehabilitation does not disturb painted surfaces of a total area of more than 20 SF on exterior, 2 SF per interior room or 10% of a small component. 2. When the Federal Rehabilitation Assistance is \$5,001 to
- \$25,000 per unit:

 a. The contractor shall perform interim controls, in accordance
- with Sec. 35.1330, of all identified or presumed lead-based paint hazards.
- b. The contractor shall implement safe work practices during rehabilitation work in accordance with Sec. 35.1350, and repair any paint that is disturbed.
- c. The entire unit shall pass a clearance examination in accordance with Sec. 35.1340.
- 3. When the Federal Rehabilitation Assistance is more than \$25,000 per unit:

Address	: 2429	Prospect Street	Unit:	Unit 01			
Location	:	1 - General Requirements	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Spec	;#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	9	Environmental Rehab					
		a. The contractor shall abate all identified or presumed lead-based paint hazards in accordance with Sec. 35.1325.b. The contractor shall implement safe work practices durin rehabilitation work in accordance with Sec. 35.1350 and repany paint that is disturbed. c. The entire unit shall pass a clearance examination in accordance with Sec. 35.1340.	g				
Trade:	21	HVAC					
4 60	02	HVACGENERAL REQUIREMENTS 2 Wood burning stoves shall be checked by licensed HVAC technician for proper functionality, any necessary repairs w done on a change order basis		1.00	AL		
				L	ocation	Total:	
Location	:	2 - Exterior	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Spec	: #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	1	General Requirements					
5 29	81	WINDOW-VINYL- 3 LITE SLIDER REPLACEMENT In Dining room, field measure and install a PVC, 3 lite slide replacement window that meets the ENERGY STAR standard for this climate for U value and SHGC. Include screens. We exterior jamb and sill with aluminum coil stock back caulked and nailed 6" on center. Retrim opening with casing, apronostool to match existing. Prep for paint where necessary.	ards /rap I	1.00	EA		
6 29	83	WINDOWVINYLREPLACEMENT On 3 windows next to garage, and 2 in kitchen, and 1 upsta field measure and install a PVC, single hung Replacement window that meets ENERGY STAR standards for this clima value and SHGC. Include 1/2 screen. Wrap exterior jamb a sill with aluminium coil stock back caulked and nailed 6" on center. Retrim opening with casing, apron, and stool to mat existing. Prep for paint where necessary.	te U nd	6.00	EA		
Trade:	9	Environmental Rehab					
7 97	79	EXTERIOR DOOR REMOVE AND REPLACE OVERHEAD GARAGE DOOR After establishing any required ground containment with polyethylene sheeting, wet mist, remove and warp in polyethylene sheeting the lead-painted garage door. Wet sidebris with water and wrap in polyethylene sheeting. Transall debris to dumpster. HEPA vacuum any remaining visible paint chips, dust and debris in the surrounding area. Install x 10' raised panel style, hot-dipped galvanized steel front overhead door w/ a polyurethane core insulation, U-shaped	small sport e a 8'	1.00	EA		

bottom seal, baked on 2 coat polyester finish paint, hot-dipped galvanized stiles, and an automatic garage door opener (1/3 H.P.), one piece rail const. w/ automatic safety reverse/door

Add	ress: 24	29 Prospect Street	Unit:	Unit 01			
Loca	ation:	2 - Exterior	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
rade	: 9	Environmental Rehab					
		stop. All necessary hardware/framing to be included.					
Trade	: 10	Carpentry					
3	2642	SIDINGVINYLALUMINUM TRIM		20.00	SQ		
		Using Lead safe practices, hang PVC vinyl clapboard siding including all cornice, corner, door and window trim after replacing all deteriorated exterior building components. Wra home with tyvek vapor/ infiltration barrier and apply owner's choice of siding color, exposure and texture with 50 year warranty. Wrap all facia, soffit, trim, window and door trim w.027 aluminum coil stock. Caulk all seams of aluminum trim	ith				
)	3210	STORM DOORALUMINUM		1.00	EA		
		At entry next to the garage, install an aluminum combination storm and screen door with white baked enamel aluminum finish and adjustable closer.					
10	3575	PORCH REPAIRCUSTOM		20.00	EA		
Frada	: 23	Replace stairs and handrail with treated lumber to code Electric					
Trade				1.00	EA		
1	7640	WEATHERPROOF RECEPTACLE On the back of house replace existing 15 amp, ground fault protected, surface mounted, weatherproof, PVC or non-ferro box and receptacle. Receptacle cover shall be permanently connected to box.		1.00	EA		
12	8045	DOORBELL WIRELESS		1.00	EA		
		Install a wireless doorbell system such as the Hampton Bay Wireless Door Alert Kit per manufacturers specifications.					
13	8155	EXTERIOR LIGHTREPLACE At front entry, remove fixture and install a UL listed, one bulk exterior light fixture with led bulb.	o, t	1.00	EA		
				L	ocation	Total:	
Loca	ation:	3 - Kitchen	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 10	Carpentry					
14	3717	CABINET - WOOD BASE		1.00	EA		
		Remove corner "lazy suzan" cabinet and replace to match existing as closely as possible.					
. –							

15

16

3737

3747

CABINET DOOR--REPLACE

unfinished wood doors.

Install a veneered plywood cabinet door with stile and panel design matching any existing pattern. Blend and apply stain to

match existing color. Apply 2 coats of polyurethane to

REPLACE COUNTER TOP--PLASTIC LAMINATE

1.00

12.00

EΑ

LF

Address: 2429 Prospect Street Unit: Unit 01							
Locat	tion:	3 - Kitchen	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
s	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
		Dispose of existing counter top. Field measure for sizing. A particleboard and MDF components must comply with California 93120 (formaldehyde content) or all exposed edg must be sealed with a low-VOC sealant. Screw to base cat a square edged plastic laminate counter top. Provide end-cand cutout for sink. Caulk countertop to adjoining walls with low VOC caulking to match wall color. Owner's choice of in-stock color and texture.	es pinet aps				
Trade:	23	Electric					
17	7730	LIGHT FIXTUREREPLACE Replace florescent fixture above sink.		1.00	EA		
18	7840	RANGE HOODRECIRCULATING Install a 36", recirculating, enameled metal range hood with light, charcoal filter, and washable grease filter. Owner's choice of color.		1.00	EA		
Trade:	25	Appliances					
19	8595	APPLIANCECUSTOM Replace freezer seal per manufacturers specifications to insan airtight assembly.	sure	1.00	EA		
				L	ocation	Total:	
Locat	tion:	4 - Dining Room	Approx.	Wall SF: 0 Ceiling/Floor SF: 0			0
s	pec#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
20	3362	DOORPREHUNG PASSAGESOLID JAMB Install a 1-3/8" prehung, hollow core door with a solid jamb including casing both sides, 2 butt hinges and a privacy lock	set.	1.00	EA		
				L	ocation	Total:	
Locat	tion:	5 - Living Room	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
s	ipec#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
21	3184	DOOR PREHUNG METAL ENTRANCE ENERGY STAR Install a Jeld Wen or equal ENERGY STAR certified insular prehung steel door to match existing size, hang and style, a passage latch and double cylinder dead bolt keyed to match the deadbolts of other exterior doors.	ted	1.00	EA		
				L	ocation	Total	

Addres	ss: 242	9 Prospect Street	Unit:	Unit 01			
Locatio	on:	6 - 1st FL Bathroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Sp	ec#	Spec		Quantity	Units	Unit Price	Total Price
Γrade:	1	General Requirements					
22	7676	SWITCH PLATE Reset switch plate to secure to wall		1.00	AL		
Гrade:	10	Carpentry					
23 ;	3345	DOORFLUSH INT, HOLLOW CORE Install flush, hollow core, masonite door on existing jamb. Include privacy lockset and 2 butt hinges.		1.00	EA		
Trade:	22	Plumbing					
24 (6725	COMMODE STUB-UPREPLACE Remove commode, stub-up and flange. Install a code approved stub-up, floor flange and wax ring. Reinstall commode.		1.00	EA		
				L	ocation	Total:	
Locatio	on:	7 - Front Bedroom	Approx.	Wall SF: 0	all SF: 0 Ceiling/Floor SF: 0		
Sp	ec#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	9	Environmental Rehab					
25 9	9519	INTERIOR DOOR - REPLACE WITH PREHUNG HOLLOW CORE After establishing any required floor containment with polyethylene sheeting, wet mist, remove, wrap in polyethyle sheeting and dispose of door, jamb and casing. Install a hocore, pressed wood, 6 panel, prehung door including a bras finish lockset. Retrim opening with 1" x 6" pine. Prime and coat with premium acrylic latex.	ene Illow is	1.00	EA		
Trade:	23	Electric					
6	7810	SMOKE DETECTORBATTERY Install a UL approved, ceiling mounted 10-Year Lithium Bat Operated Ionization Smoke Alarm	tery	1.00	EA		
				L	ocation	Total:	
Location	on:	8 - Rear Bedroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Sp	ec#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	9	Environmental Rehab					
27 !	9519	INTERIOR DOOR - REPLACE WITH PREHUNG HOLLOW CORE After establishing any required floor containment with polyethylene sheeting, wet mist, remove, wrap in polyethyle sheeting and dispose of door, jamb and casing. Install a	ne	1.00	EA		

Location:	8 - Rear Bedroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 9	Environmental Rehab					
	core, pressed wood, 6 panel, prehung door to match surrounding as close as possible include a brass finish locks Retrim opening to match surrounding as close as possible	et.				
Trade: 23	Electric					
28 7805	SMOKE DETECTORBATTERY POWERED Install a UL approved, ceiling mounted 10-Year Lithium Batte Operated Ionization Smoke Alarm	ery	1.00	EA		
			L	ocation	Total:	
Location:	9 - Upper Bedroom	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 23	Electric					
29 7675	REPLACE LIGHT SWITCH Replace double light switch to match existing, with cover pla at bottom of stairs	te	1.00	EA		
30 7730	LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 bulb, UL approved, light fixture with shade and led bulbs.	е	1.00	EA		
			L	ocation	Total:	
Location:	10 - Basement	Approx.	Wall SF: 0		Ceiling/Floor SF:	0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 22	Plumbing					
31 6795	GAS LINECUSTOM Cap unused gas line		1.00	LF		
Trade: 23	Electric					
32 7545	ELECTRIC SERVICECUSTOM		1.00	EA		

1.00

4.00

1.00

1.00

ΑL

EΑ

EΑ

EΑ

33

34

35

36

7550

7555

7727

7735

FILLER PLATE

COVER PLATE

LIGHT FIXTURE

LIGHT FIXTURE GLOBE

electrical box.

Install filler plates at service panel to fill open knockouts.

Replace missing receptacle, switch, or blank cover plates.

Install a porcelain lamp fixture with a lamp on an approved

Install a glass light fixture globe on ceiling fixture at basement

Addı	ress: 24	29 Prospect Street	Unit:	Unit 01			
Loca	tion:	10 - Basement	Approx.	. Wall SF: 0		Ceiling/Floor SF:	0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 23	Electric					
		stairs.					
						T . 4. 1	
				L	ocation	lotal:	
Loca	tion:	11 - Basement Bath	Approx.	. Wall SF: 0		Ceiling/Floor SF:	0
	Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 10	Carpentry					
37	3362	DOORPREHUNG PASSAGESOLID JAMB Install a 1-3/8" prehung, hollow core door with a solid jamb including casing both sides, 2 butt hinges and a privacy locks	set.	1.00	EA		
Trade	: 22	Plumbing					
38	6900	VANITY24" COMPLETE Install a 24" plywood vanity or pedestal sink; including top wi backsplash, wash bowl and single lever brass bodied chrome faucet with a maximum 1.5 GPM flow rate. Include PVC drain attached to a code legal plumbing vent, use type L copper or PEX supply piping with brass bodied stops on all supply lines Seal all penetration through the floor, walls and cabinet for plumbing connections using expanding foam or caulk and cover with chrome eschucion plates. Cabinets must comply with California 93120 (formaldehyde content) or all exposed edges must be sealed with a low-VOC sealant.	e 1	1.00	EA		
39	6965	SHOWERSTALLFIBERGLASS Install a 36"x36" one piece, fiberglass showerstall including PVC waste, molded base, diverter, shower rod and shower head.		1.00	EA		
				L	ocation	Total:	
	Unit Total for 2429 Prospect Street, Unit Unit 01:						
		Address G	rand To	otal for 2429	Prospec	et Street:	
		Bidder:					