

GENESEE COUNTY HABITAT FOR HUMANITY 101 BURTON STREET FLINT, MI 48503

SCOPE OF WORK:

GENESEE COUNTY HABITAT FOR HUMANITY (GCHFH) is soliciting sealed proposal bids for providing:

REHABILITATION OF A SINGLE-FAMILY HOME

For the homeowner occupied address: 5210 Susan St. Flint, MI 48505

Per the specifications listed at: geneseehabitat.org

If your firm is interested in providing the requested services, please submit 1 copy of your detailed proposal to Genesee County Habitat for Humanity 101 Burton Street Flint, MI 48503 by <u>before 5:00 PM (EST)</u>. Please note: All detailed proposals received after 5:00 PM (EST) will not be considered.

Genesee County Habitat for Humanity (GCHFH) may hold proposals for a period of 60 days from opening, for the purpose of reviewing the results and investigating the qualifications of proposal prior to making an award. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all bids submitted. Vendors located within the corporate city limits of Flint, Michigan may be given a seven percent (7%) competitive price advantage. Additionally, if the lowest responsible vendor is not located within the limits of the City of Flint, but is located within the county of Genesee and vendor does not exceed the bid of the lowest non local bidder by more than three and one-half percent (3.5%), the County vendor may have a competitive advantage. Genesee County Habitat for Humanity reserves the right to waive any irregularities and accept or reject any or all proposals submitted.

The successful bidder must comply with all requirements and pay prevailing wages and fringe benefits on this project per the City of Flint's Resolution R-1 2 adopted 4/8/91. Pursuant to the requirements of 1976 P.A. 453 (Michigan Civil Rights Act) and 1976 P.A. 220 (Michigan Handicapped Rights Act), the local unit and its agent agree not to discriminate against any employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment or a matter directly or indirectly related to employment because of race, color, religion, national origin, age, sex, height, weight, marital status or because of a handicap that is unrelated to the person's ability to perform the duties of nondiscrimination provision identical to this provision and binding upon any and all contractors and subcontractors.

Genesee County Habitat for Humanity provides equal employment opportunities (EEO) to all employees and applicants for employment without regard to race, color, religion, sex, national origin, age, disability or genetics.



TABLE OF CONTENTS

INVITATION TO BID	1
INSTRUCTIONS TO BIDDERS	3
ADDITIONAL TERMS AND CONDITIONS	4
STANDARD TERMS AND CONDITIONS	6
HOUSE SPECIFICATION SHEETS & BID FORMS	10
BID SUMMARY	10
GENESEE COUNTY MINIMUM INSURANCE REQUIREDSECTION 3 PREFERENCE IN CONTRACTING AND	11
DEMONSTRATION OF CAPABILITY	12
WORK SPECIFICATIONS	14



_____ REHABILITATION OF A SINGLE-FAMILY HOME

INSTRUCTIONS TO BIDDERS

- Sealed bids will be received from pre-qualified firms until <u>5PM on 10/27/2021</u> at Genesee County Habitat for Humanity, 101 Burton Street, Flint, MI, 48503. Label the bid as indicated on page 4. E-mailed bids are acceptable (see Instruction 4). LATE BIDS AND BIDS SENT BY FACSIMILE WILL NOT BE ACCEPTED.
- 2. A **Mandatory Walk-through Inspection** will be held on <u>Wednesday</u>, 10/20/2021 , attendance at all walk-through inspections is required for the submission and consideration of any bid, the time for the mandatory walk-through inspection is 9:30AM .
- 3. The bid opening will take place on <u>Thursday</u>. 10/28/2021at <u>9AM</u> and is open to the public. It will be held at the Habitat for Humanity offices at 101 Burton St., Flint, MI 48503.
- 4. Submit one (1) hardcopy of the bid response. All bids becomethe property of Genesee County Habitat for Humanity. The original must include a signature on the Signature Page of a person authorized to make a binding offer. E-mailed bids are acceptable as long as the time stamp of the e-mail is before the submission deadline. E-mailed bids will not be opened until the time of the scheduled bid opening, among witnesses, and along with sealed physical bid submissions.
- 5. To be considered for award, each bidder must be a qualified contractor. A contractor is qualified when their submitted qualifications are received and approved by GCHFH.
- 6. Qualified bidders with contracts exceeding 90 days past signing, may be ineligible to bid on further projects until outstanding projects have been completed.
- 7. Insurance required per the specifications governing this work must be provided prior to the contract starting date and kept in full effect and compliance during entire contract period. Failure to comply with these provisions will cause termination of the contract.
- 8. The contractor agrees to be responsible for any loss or damage to property or persons due to the performance of services and the provision of supplies (equipment) herein contracted, and further agrees to protect and defend the Genesee County Habitat for Humanity against all claims or demands whatsoever, and to hold Genesee County Habitat for Humanity harmless from any loss or damage resulting therefrom.
- 9. After the award is made to the successful bidder(s), Genesee County Habitat for Humanity and the successful bidder will negotiate a final contract that substantially conforms to the Standard Construction Services Contract.
- 10. All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website: https://www.geneseehabitat.org/invitation-to-bid.html



to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this IFB.

11. Use the following format for your bid:

Submit one (1) hardcopy OR one (1) electronic copy of the bid response to GCHFH— REHABILITATION OF A SINGLE-FAMILY HOME (Please include Job ID), 101 Burton Street Flint, MI 48503 OR repair@geneseehabitat.org. all pages of bid forms and including Work Specifications

- Signed Signature Page
- Completed House Specification Sheets included after page 9 and all Bid Forms pages
- Bid Summary
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a **Bid Bond**, equal to 5% of the total compensation to be paid to the Contractor under the Contract.
- For construction Bids exceeding \$100,000 in amount, the Contractor must furnish a CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY

ADDITIONAL TERMS AND CONDITIONS

- <u>Federal Funds Disclosure</u>: Unless otherwise noted this project is supported in part by HUD SHOP, HOME or CDBG funding. The contractor is responsible for complying to applicable rules and regulations.
- Issuing Office: This IFB is issued by Genesee County Habitat for Humanity. The sole point of contact for this solicitation is Genesee County Habitat for Humanity 101 Burton street, Flint MI 48503, (810) 766-9089 ext. 211 and fax (810) 766-9094. Email is the preferred method of contact: repair@geneseehabitat.org
- Questions & Inquiries: All questions regarding this IFB must be addressed at the
 mandatory walk-through, as indicated on page 1. Written answers to questions to
 clarify this solicitation will be provided via an addendum. No verbal interpretation to any
 respondent as to the meaning of any requirement stated in this IFB shall be binding on
 Genesee County Habitat for Humanity.
- Requirement for Bonds: For Construction Contracts (job total) exceeding fifty thousand dollars (\$50,000.00) in amount, the Contractor must furnish a performance bond and a payment bond, each in an amount equal to ninety five percent (95%) of the total compensation to be paid to the Contractor under the Contract as security for the faithful performance of the Contract and as security for the payment of all persons performing labor and furnishing materials in connection with the performance of the Contract. The performance bond and the payment bond must be in such form as the

Habitat for Humanity

Owner may require and must be delivered to the Owner prior to execution of the Contract by the Owner. The Contractor shall also be required, at no cost to the Owner, to provide Performance and Payment Bonds required by any utilities for performance of any utility Work or Work on utility lines or within utility easements. For construction Bids exceeding 100 thousand dollars (\$100,000) in amount, the Contractor must furnish a **bid bond**, equal to 5 percent (5%) of the total compensation to be paid to the Contractor under the Contract. The Surety must be acceptable to Genesee County Habitat for Humanity and must be approved to transact business in the State of Michigan.

- 4. Copies to be Furnished to Beneficiaries: Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment of obligations arising under the Contract, the Contractor must promptly furnish a copy of the bonds to such person or entity.
- 5. Addenda: Genesee County Habitat for Humanity reserves the right to amend and provide clarification of this solicitation prior to the date for bid submission. In such an event, an addendum will be posted on the Genesee County Habitat for Humanity website at (https://www.geneseehabitat.org/invitation-to-bid.html) All prospective bidders shall be responsible for routinely checking Genesee County Habitat for Humanity website to obtain issued addenda. Genesee County Habitat for Humanity shall not be responsible for the failure of a prospective bidder to obtain addenda and other information issued at any time related to this Invitation for Bids.
- 6. Preparation of Bids & Cost: All costs incurred in the preparation of a response to this IFB will be the responsibility of the respondent, and will not be reimbursed by Genesee County Habitat for Humanity. Bids should be prepared simply and economically, providing a straightforward, concise description of the bidder's ability to meet the requirements of this IFB.
- 7. Responsive Bids: To ensure full consideration, all bidders shall submit a complete response to this IFB using the format provided in <u>Instruction to Bidders Item 10</u>. In addition, at least one of the bids submitted shall include an **original signature** of an official authorized to bind the bidder to its provisions. Any bid not prepared and submitted in accordance with this IFB or any bid lacking the information to enable Genesee County Habitat for Humanity to make a reasonable determination of compliance with the bid requirements may be considered "non-responsive" and rejected without further review.
- 8. Right To Reject: Genesee County Habitat for Humanity reserves the right to waive any informality in the invitation for bids; to reject any or all bids; and to make an award which it considers to be in the best interest of Genesee County Habitat for Humanity.
 Work Schedule: After contracts have been signed and dated, the work must start within 30 calendar days after the contract is signed and must be completed within 90 days thereafter, according to the Work Activity Schedule. After 90 days have passed, GCHFH will charge the Contractor liquidated damages of \$50 per day for each business day the contracted work is not completed. The total amount will be deducted from the final payment amount due to the Contractor. Contract extension requests



- should be submitted and approved by GCHFH, in writing, via Change Order. When an Invitation for Bids (IFB) includes multiple homes, each home will have a separate contract and work schedule.
- 1.1. Payment Schedule: Payments due the Contractor will be paid within 30 days after Genesee County Habitat for Humanity issues a certificate of completion, and receives the Contractor's satisfactory release of liens or claims for liens by sub- contractors, laborers, and materials suppliers for completed work or installed materials and invoice. Final payment shall not be made until GCHFH and the City of Flint has completed a final inspection and issued a certificate of completion. Contractors may draw on the contract for completed work if a Hold Order is filed and approved by the Contract Administrator.

STANDARD TERMS AND CONDITIONS

- 1. <u>Bid Opening</u>: Bids will be opened publicly at the time and place designated in the Invitation for Bids. Bids will be open to public inspection in accordance with applicable State law.
- 2. Evaluation and Award: The contract will be awarded to the lowest responsible and responsive bidder whose bid meets the requirements and criteria set forth in the Invitation for Bids. Unless otherwise indicated in the Invitation for Bids, Genesee County Habitat for Humanity reserves the right to award the contract in whole or in part, by item, by group of items, or by section where such action serves the best interests of GCHFH. Genesee County Habitat for Humanity reserves the right to reject any or all bids, to waive any informality in any bid, and to negotiate with the apparent successful bidder(s) in the best interest of Genesee County Habitat for Humanity.
- 3. <u>Cancellation: Rejection of Bids</u>: The Invitation for Bids may be canceled by Genesee County Habitat for Humanity at any time for any reason. Any bid received may be rejected in whole or in part when in the best interests of Genesee County Habitat for Humanity.
- 4. Receipt of Bids: It is solely the responsibility of the bidder to assure the timely receipt of its bid at the location indicated in the bid announcement. LATE BIDS AND BIDS SENT BY FACSIMILE WILL NOT BE ACCEPTED.
- 5. <u>Tax</u>: Genesee County Habitat for Humanity is a 5013C Corporation and as such it is exempt from Federal Excise Tax and Michigan Sales Tax.

Habitat for Humanity

- 6. Non-Discrimination: The successful bidder/Contractor covenants that it will not discriminate against an employee or applicant of employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of race, color, religion, national origin, age, sex, height, weight, marital status or a disability that is unrelated to the individual's ability to perform the duties of a particular job or position, and that it will require the same non- discrimination assurances from any subcontractor who may be used to carry out duties described in this contract. Breach of this covenant shall be regarded as a material breach of this contract.
- 7. **Performance Bond:** If a performance bond is required, the bond must be issued by a company authorized to do business in the State of Michigan.
- 8. Conflict of Interest: Each bidder, by submitting a bid, represents that the bidder has no knowledge that any employee, representative or agent of the bidder is a Genesee County Habitat for Humanity employee who has directly or indirectly participated on behalf of Genesee County Habitat for Humanity in the contemplated procurement, or that any Genesee County Habitat for Humanity employee who has so participated or any member of such an employee's immediate family has a financial interest pertaining to the contemplated procurement from the bidder, and represents that the bidder reasonably believes that no employee, representative or agent of bidder is a Genesee County Habitat for Humanity employee who has so participated and that no Genesee County Habitat for Humanity employee who has so participated or member of that employee's immediate family has a financial interest in the contemplated procurement from the bidder.
- 9. Inspection: All goods are received subject to inspection and testing. If goods are defective or fail to meet the bid specifications, Genesee County Habitat for Humanity shall have the right to reject the goods or to correct the defects. The contractor shall pay Genesee County Habitat for Humanity for expenses incurred in correcting defects. Rejected goods will be held for forty-five days after delivery awaiting instructions from the contractor. After the forty-five day period, Genesee County Habitat for Humanity will dispose of the goods without further liability to Genesee County Habitat for Humanity. The contractor is responsible for the costs of handling, packing, and transportation incurred in returning or disposing of defective or non-conforming goods.
- 10. Bidder's Representations: Each bidder by submitting a bid represents as follows:
 - That the bidder has read and understood the bidding documents and has bid in accordance therewith;
 - b. That the bid has been submitted by a duly authorized owner, partner, or corporate officer;
 - c. That the bid submitted has been prepared independently without collusion, agreement, understanding, or planned common course of action with any other supplier of the goods or services described in the Invitation for Bids, designed to limit independent bidding or competition.



- 11. <u>Independent Contractor</u>: Bidder agrees that if awarded a contract, bidder shall be an independent contractor and not an employee of Genesee County Habitat for Humanity. The contractor shall secure at its own expense all personnel required in supplying goods or services under the awarded contract. All such personnel shall have no contractual relationship with Genesee County Habitat for Humanity and shall not be considered employees of Genesee County Habitat for Humanity.
- 12. **Insurance:** Each bidder must submit a completed Bidder's Insurance Checklist, if so stipulated in the IFB. The required coverage and minimum limits may vary dependent upon the dollar amount of the contract, length of time of the contract, and the hazard level of the work or services to be performed. The types of insurance coverage may include: workers compensation, general liability, auto liability and/or professional liability. The insurer, insurance retention group, pool, or self-insurer must be authorized/licensed to provide such coverage within the State of Michigan and meet minimum financial ratings, if applicable, as supplied by Best or S & P.
- 13. <u>Indemnification</u>: The successful bidder shall defend, indemnify, and hold harmless Genesee County Habitat for Humanity and its officers and employees from and against all claims, losses, damages, and expenses including but not limited to attorney's fees, arising out of or resulting from the performance of the contract.
- 14. Warranty: The bidder warrants that all goods and services furnished under a contract resulting from the Invitation for Bids shall be in conformance with the bid documents and that the goods are of merchantable quality as described in the Uniform Commercial Code, Section 2-314, and fit for the purpose for which they are sold. This warranty is in addition to any manufacturer's standard warranty which may apply or any warranty provided by law, and is in addition to all other express warranties made by the bidder.
- 15. Applicable Law: Any contract resulting from the Invitation for Bids shall be governed by the laws of the State of Michigan. Unless otherwise provided in the contract documents, the contractor shall secure and pay for all permits, fees, duties, licenses, inspections, and approvals necessary for the execution and completion of the contract. The contractor shall give all notices and comply with all laws, ordinances, rules, regulations, and lawful orders of any public authority bearing on the performance of the contract.
- 16. **Right to Inspect:** Genesee County Habitat for Humanity may, at reasonable times, inspect the plant, place of business, or work site of a contractor or subcontractor which is pertinent to the performance of a contract or potential contract.
- 17. Right to Audit: Genesee County Habitat for Humanity may at reasonable times and places, audit the books and records of any contractor who has submitted cost or pricing

Habitat for Humanity

data as a part of its bid, to the extent that such books and records are pertinent to such cost or pricing data for a period of three years from the date of final payment under the contract. Genesee County Habitat for Humanity shall be entitled to audit the books and records of a contractor or subcontractor other than a firm fixed-price contract to the extent that such books and records are pertinent to the performance of such contract or subcontract. Such books and records shall be maintained by the contractor for a period of three years from the date of final payment under a prime contract and by the subcontractor for a period of three years from the date of final payment under a subcontract.

18. <u>Safety</u>: Genesee County Habitat for Humanity, as the owner of the premises where the service or work is to be performed, or as the purchaser of goods received, requires that all applicable Michigan Occupational Health & Safety (MIOSHA) Rules and Regulations are followed by your employees and that the goods meet the applicable safety regulation. All Center of Disease Control guidelines (CDC) incorporated by reference within the MIOSHA regulations must be followed.



HOUSE SPECIFICATION SHEETS & BID FORMS

- Please bid on the attached GENESEE COUNTY HABITAT FOR HUMANITY HOME REHABILITATION PROGRAM – CONTRACTOR WORK ACTIVITY SCHEDULE. A cost is to be provided for every item/service listed.
- A contractor <u>must bid on the address</u> offered in this bid and provide the total bid amount in the Bid Summary.
- Submitted bids must be not more than 10% lower or 15% higher than the cost estimate. If the amount of any bid received is outside of this range, the bid shall be rejected. If no bidder is within that range, the contractor closest to that window will be awarded the bid.
- When required, Lead Reports for the corresponding house will be available by request.
- Section 3 requirements:

BID SUMMARY

With respect to recipients of Housing and/or Community Development funding, all contractors (or subcontractors) receiving covered funds in excess of \$100,000 to complete projects involving housing construction, rehabilitation, or other public construction are required to comply with the requirements of Section 3. The threshold of \$100,000 is based on the BID TOTAL for Genesee County Habitat for Humanity Invitations for Bid.

When BID TOTAL exceeds \$100,000 the form **CERTIFICATION FOR BUSINESS CONCERNS SEEKING SECTION 3 PREFERENCE IN CONTRACTING AND DEMONSTRATION OF CAPABILITY** is to be completed and included with the bid. When the award notification is made, the successful bidder will be instructed regarding the appropriate verification required prior to signing the contract.

 Contractors must verify all unit quantities listed on the enclosed specification sheets prior to submitting a bid.

ADDRESS & JOB # \$ Company/Phone Signature Date

SPECS BY LOCATION/TRADE



Pre-Bid Site Visit: 10/20/21 @9:30AM

Bid Close: <u>10/27/21 @5PM</u>

Bid Opening: 10/28/21 @9AM

Case Number: HIF-2134

Project Manager: John Guynn

Phone: (810)766-9089 Ext.211

101 Human						
Address: 521	0 Susan Street	Unit:	Unit 01			
Location:	1 - General Requirements	pprox. W	/all SF: 0		Ceiling/Floor SF	: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 1	General Requirements					
1 36	BUILDING PERMIT REQUIRED The contractor is responsible for submitting this owner-prepared work write up to the building departm applying for, paying for and receiving a building permistarting any work.		1.00	EA		
Trade: 5	Demolition & Disposal					
2 800	DUMPSTER20 CUBIC YARDS After procuring all required permits, place a 20 cubic yroll-off dumpster without damaging the site. Collect construction debris using dust control methods.	ard,	1.00	EA		
			L	ocatio.	n Total:	
Location:	2 - Exterior A	pprox. W	/all SF: 0		Ceiling/Floor SF	: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 15	Roofing					
3 4580	TEAR OFF AND REROOF SHINGLES Remove and dispose of all roofing & defective sheath a 1" wide vent at ridge board. Replace up to 5 sf of sh per 100 sf of roof using code compliant material of mathickness. Staple 15 lb felt. Install preformed white all drip edge, and vent pipe boots. Install a dimentional s with a 25 yr warranty. Color choice by owner. Replace flashing. Install shingle-over ridge vent.	eathing itching uminum, hingle	17.00	SQ		
4 4645	GUTTER/DOWNSPOUT5" SEAMLESS		169.00	LF		
1010	Dispose of original and replace with 5", K Type, seam aluminum gutter, downspout, hinged downspout exter and accessories to service entire dwelling. Install dow at each corner and major offset with straps 3' on center choice by owner.	nsions nspouts			n Total:	
Location:	aluminum gutter, downspout, hinged downspout exter and accessories to service entire dwelling. Install dow at each corner and major offset with straps 3' on center choice by owner.	nsions rnspouts er. Color		.ocatio	n Total: Ceiling/Floor SF	······································

Spec # Spec Spec Quantity Units Unit Price Total Price	Addres	ss: 52	10 Susan Street	Unit:	Unit 01			
Trade: 17 Drywall & Plaster	Location	on:	3 - Living Room	Approx. \	Wall SF: 0		Ceiling/Floor SF:	0
Section DRYWALL-PATCH-LARGE Where defective on ceiling and North Wall, cut back defective plaiser to expose half of the studs on each side of the hole. Cut and tightly fit drivall patch. Glue and nail or screw patch. Apply tape and 3 coats of compound feathered out at least 8". Wet sand ready for paint. Trade: 19	Spe	ec#	Spec		Quantity	Units	Unit Price	Total Price
Where defective on ceiling and North Wall, cut back defective plaster to expose half of the studs on each side of the hole. Cut and tightly fit drywall patch. Glue and nail or screw patch. Apply tape and 3 coats of compound feathered out at least 8". Wet sand ready for paint. Trade: 19 Paint & Wallpaper 6 \$570 PREP & PAINT OCCUPIED ROOM Remove/cover all hardware, fixtures, furniture, personal items not to be painted. Scrape loose, cracked, peeling, blistered surfaces. Feather edges/dull gloss surfaces w sandpaper. Clean all surfaces with one-phosphate deterpent. Fill all holes/cracks. Spot prime & top coat trim, ceiling, walls, doors & windows with owner's choice of premixed acrylic latex. Include any closets. Replace furniture and vacuum room. Trade: 20 Floor Coverings 7 5970 CARPET AND PAD 1	Trade:	17	Drywall & Plaster					
Remove/cover all hardware, fixtures, furniture, personal items not to be painted. Scrape loose, cracked, peeling, blistered surfaces. Feather edges/dull gloss surfaces w sandpaper. Clean all surfaces with normer's choice of premixed acrylic latex. Include any closets. Replace furniture and vacuum room. Trade: 20 Floor Coverings 7 5970 CARPET AND PAD Install FHA approved, nylon, plush carpet over a 1/2" medium density rebond pad w a minimum of seams. Stretch carpet to eliminate puckers, scallops & ripples. Include tackless strips, metal edge strips, and mending tape to cover entire floor including closets. On stairs, fasten carpet and pad at top and bottom of each riser. Carpet and pad material allowance \$20/sy. Owner's choice of in-stock color and pattern. Trade: 23 Electric 8 7560 RECEPTACLE REPLACE On North and South walls - Replace receptacle with duplex receptacle and cover plate to match existing, inspect box mounting to ensure the cover plate fits tight to wall. 9 7670 REPLACE REPLACE COVER Where missing, install receptacle or switch plate covers to match switch or receptacle 10 7675 REPLACE LIGHT SWITCH At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTURE—REPLACE Replace a celling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location: 4 - Hall Approx. Wall SF: 0 Celling/Floor SF: 0	5 5	210	Where defective on ceiling and North Wall, cut back plaster to expose half of the studs on each side of t Cut and tightly fit drywall patch. Glue and nail or so Apply tape and 3 coats of compound feathered out	he hole. rew patch	-	SF		
Remove/cover all hardware, fixtures, furniture, personal items not to be painted. Scrape loose, cracked, peeling, blistered surfaces. Feather edges/dull gloss surfaces w/ sandpaper. Clean all surfaces w/ non-phosphate detergent. Fill all holes/cracks. Spot prime & top coat trim, ceiling, walls, doors & windows with owner's choice of premixed acrylic latex. Include any closets. Replace furniture and vacuum room. Trade: 20 Floor Coverings 7 5970 CARPET AND PAD	Trade:	19	Paint & Wallpaper					
not to be painted. Scrape loose, cracked, peeling, bilstered surfaces. Feather edges/dull gloss surfaces w/ sandpaper. Clean all surfaces w/ non-phosphate detergent. Fill all holes/cracks. Spot prime & top coat trim, ceiling, walls, doors & windows with owner's choice of premixed acrylic latex. Include any closets. Replace furniture and vacuum room. Trade: 20 Floor Coverings 7 5970 CARPET AND PAD	6 5	570	PREP & PAINT OCCUPIED ROOM		643.00	SF		
Trade: 23 Electric			not to be painted. Scrape loose, cracked, peeling, b surfaces. Feather edges/dull gloss surfaces w/ san Clean all surfaces w/ non-phosphate detergent. Fill holes/cracks. Spot prime & top coat trim, ceiling, wa windows with owner's choice of premixed acrylic lat	listered dpaper. all ills, doors	&			
Install FHA approved, nylon, plush carpet over a 1/2" medium density rebond pad w/ a minimum of seams. Stretch carpet to eliminate puckers, scallops & ripples. Include tackless strips, metal edge strips, and mending tape to cover entire floor including closets. On stairs, fasten carpet and pad at top and bottom of each riser. Carpet and pad material allowance \$20/sy. Owner's choice of in-stock color and pattern. Trade: 23 Electric 8 7560 RECEPTACLE REPLACE On North and South walls - Replace receptacle with duplex receptacle and cover plate to match existing. Inspect box mounting to ensure the cover plate fits tight to wall. 9 7670 REPLACE RECEPTACLE COVER Where missing, install receptacle or switch plate covers to match switch or receptacle 10 7675 REPLACE LIGHT SWITCH At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location Total: Location Total:	Trade:	20	Floor Coverings					
8 7560 RECEPTACLE REPLACE On North and South walls - Replace receptacle with duplex receptacle and cover plate to match existing. Inspect box mounting to ensure the cover plate fits tight to wall. 9 7670 REPLACE RECEPTACLE COVER Where missing, install receptacle or switch plate covers to match switch or receptacle 10 7675 REPLACE LIGHT SWITCH At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location: 4 - Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	7 5	970	Install FHA approved, nylon, plush carpet over a 1/2 density rebond pad w/ a minimum of seams. Stretch eliminate puckers, scallops & ripples. Include tackle metal edge strips, and mending tape to cover entire including closets. On stairs, fasten carpet and pad bottom of each riser. Carpet and pad material allow	n carpet to ss strips, floor at top and ance	,	SY		
On North and South walls - Replace receptacle with duplex receptacle and cover plate to match existing. Inspect box mounting to ensure the cover plate fits tight to wall. 9 7670 REPLACE RECEPTACLE COVER Where missing, install receptacle or switch plate covers to match switch or receptacle 10 7675 REPLACE LIGHT SWITCH At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location: 4 - Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	Trade:	23	Electric					
Where missing, install receptacle or switch plate covers to match switch or receptacle 10 7675 REPLACE LIGHT SWITCH At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTUREREPLACE Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location: 4 - Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	8 7	560	On North and South walls - Replace receptacle with receptacle and cover plate to match existing. Inspec		2.00	EA		
At entry, replace light switch and plastic cover plate to match surrounding. 11 7730 LIGHT FIXTUREREPLACE 1.00 EA Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location Total: Location: 4 - Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	9 7	670	Where missing, install receptacle or switch plate co	vers to	2.00	EA		
Replace a ceiling mounted, 2 Led bulb, UL approved, light fixture with shade and lamps. Location Total: Approx. Wall SF: 0 Ceiling/Floor SF: 0	10 7	675	At entry, replace light switch and plastic cover plate	to match	1.00	EA		
Location: 4 - Hall Approx. Wall SF: 0 Ceiling/Floor SF: 0	11 7	730	Replace a ceiling mounted, 2 Led bulb, UL approve	d, light	1.00	EA		
					L	.ocatio	on Total:	
Spec # Spec Quantity Units Unit Price Total Price	Location	on:	4 - Hall	Approx. \	Wall SF: 0		Ceiling/Floor SF:	0
	Spe	ec#	Spec		Quantity	Units	Unit Price	Total Price

Address: 52	10 Susan Street	Unit:	Unit 01			
Location:	4 - Hall	Approx. V	Vall SF: 0		Ceiling/Floor SF	- : 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
12 9519	INTERIOR DOOR - REPLACE WITH PREHUNG HO CORE At hallway closet, install a hollow core, pressed wood prehung door to match surrounding as close as poss include a brass finish lockset. Retrim opening to mat surrounding as close as possible	, 6 panel, ible	1.00	EA		
Trade: 17	Drywall & Plaster					
13 5210	DRYWALLPATCHLARGE Cut back defective gypsum to expose half of the stud side of the hole. Cut and tightly fit drywall patch. Gluor screw patch. Apply tape and 3 coats of compound out at least 8". Wet sand ready for paint.	e and na	il	SF		
			L	ocatio.	on Total:	
Location:	5 - Bathroom	Approx. V	Vall SF: 0		Ceiling/Floor SF	- : 0
Spec#	Spec		Quantity	Units	Unit Price	Total Price
Trade: 9	Environmental Rehab					
14 9489	WINDOW REMOVE-GLASS BLOCK W/VENT Remove existing glass block. Replace sill and install block per manufacturers specs with vinyl vent with so storm insert, Use expansion spacers around perimeter mortar to existing foundation or framing. Trim exterior interior to match existing.	reen and er and		EA		
Trade: 22	Plumbing					
15 6715	DRAIN, WASTE, VENTPVC Replace sink drain with Schedule 40 PVC pipe and fi additional plumbing needed beyond immediate vicinit addressed on Change Order basis.		3.00 ny	LF		
16 6864	REPLACE SINK FAUCETBATHROOM Remove existing bathroom sink faucet and replace e connections are tight and there are no leaks present.		1.00 II	EA		
7 7005	COMMODEREFURBISH Install an anti-siphon fill valve. Replace flap valve an water height to insure proper flushing action.	d adjust	1.00	EA		
			L	ocatio	on Total:	
	6 - NW Bedroom	Approx. V	Vall SF: 0		Ceiling/Floor SF	- : 0
Location:			0 414	Units	Unit Price	Total Price
Location: Spec #	Spec		Quantity	<u> </u>	<u> </u>	- TOLAI FIICE
	Spec Carpentry		Quantity	Office		Total File

Address: 52	10 Susan Street	Unit:	Unit 01			
Location:	6 - NW Bedroom	Approx. W	/all SF: 0		Ceiling/Floor SI	- : 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 10	Carpentry					
	At closet, hang a flush, hollow core, wood bifold do overhead track, all hardware and casing on one signand centered within the opening.					
19 9519	INTERIOR DOOR - REPLACE WITH PREHUNG CORE Install a hollow core, pressed wood, 6 panel, prehu match surrounding as close as possible include a blockset. Retrim opening to match surrounding as copossible	ng door to orass finish	1.00	EA		
Trade: 23	Electric					
20 7560	RECEPTACLE REPLACE Replace receptacle with duplex receptacle and cover match existing. Inspect box mounting to ensure the fits tight to wall.		2.00	EA		
21 7675	REPLACE LIGHT SWITCH Replace light switch and plastic cover plate to mate surrounding.	ch	1.00	EA		
22 7819	FAN/LIGHT FIXTURE-ENERGY STAR Replace existing fixture with an ENERGY STAR approximate ceiling mounted Fan/Light fixture, such as the Panar Wisper Green with an integral damper, and vented exterior. The fixture must accommodate Switch fand using a single switch with a time delay for the fan star EFI Fan/Light Time Delay Switch or equipped with sensor. Tie into existing duct work where possible, duct seams seal any gaps with duct mastic. Insula ductwork with vinyl or foil faced R 8 minimum duct Insure proper ventallation to exterior Repair any of the ceiling installation and air seal fan/light assemble ceiling with low VOC caulk.	asonic to the n & light uch as the a humidista Check all ate the insulation.		EA Locatio	 n Total:	
Location:	7 - NE Bedroom	Approx. W	/all SF: 0		Ceiling/Floor SI	=: 0
Spec #	Spec	11 22	Quantity	Units	Unit Price	Total Price

Loca	ition:	7 - NE Bedroom	Approx. Wall SF: 0		Ceiling/Floor SI	F: 0
	Spec#	Spec	Quantity	Units	Unit Price	Total Price
Trade	: 1	General Requirements				
23	2983	WINDOWVINYLREPLACEMENT Field measure and install a PVC, single hung repl window that meets ENERGY STAR standards for value and SHGC. Include 1/2 screen. Wrap exteri sill with aluminium coil stock back caulked and na center. Retrim opening with casing, apron, and sto existing. Prep for paint where necessary.	this climate U or jamb and iled 6" on	EA		
Trade	: 10	Carpentry				
24	3375	DOORWOOD BIFOLD	1.00	EA		

Address: 52	To Susan Street	ınıt:	Unit 01			
Location:	7 - NE Bedroom App	rox. \	Wall SF: 0		Ceiling/Floor S	F: 0
Spec#	Spec		Quantity	Units	Unit Price	Total Price
Гrade: 10	Carpentry					
	At closet, hang a flush, hollow core, wood bifold door indoverhead track, all hardware and casing on one side, pland centered within the opening.		g			
25 9519	INTERIOR DOOR - REPLACE WITH PREHUNG HOLD CORE Install a hollow core, pressed wood, 6 panel, prehung do match surrounding as close as possible include a brass lockset. Retrim opening to match surrounding as close possible	or to finish		EA		
Trade: 20	Floor Coverings					
26 5970	CARPET AND PAD Install FHA approved, nylon, plush carpet over a 1/2" medensity rebond pad w/ a minimum of seams. Stretch careliminate puckers, scallops & ripples. Include tackless stretch edge strips, and mending tape to cover entire floor including closets. On stairs, fasten carpet and pad at to bottom of each riser. Carpet and pad material allowance \$20/sy. Owner's choice of in-stock color and pattern.	pet to trips, r p and)	SY		
Trade: 23	Electric					
27 7670	REPLACE RECEPTACLE COVER Replace missing receptacle or switch plate covers to masswitch or receptacle	atch	2.00	EA		
28 7675	REPLACE LIGHT SWITCH Replace light switch and plastic cover plate to match surrounding.		1.00	EA		
29 7819	FAN/LIGHT FIXTURE-ENERGY STAR Replace existing fixture with an ENERGY STAR approve ceiling mounted Fan/Light fixture, such as the Panasoni Wisper Green with an integral damper, and vented to the exterior. The fixture must accommodate Switch fan & ligusing a single switch with a time delay for the fan such a EFI Fan/Light Time Delay Switch or equipped with a husensor. Tie into existing duct work where possible. Check duct seams seal any gaps with duct mastic. Insulate the ductwork with vinyl or foil faced R 8 minimum duct insulatinsure proper ventallation to exterior Repair any damage the ceiling installation and air seal fan/light assembly to ceiling with low VOC caulk.	c e ght as the midis ck all e ation. ge to	tat	EA		
			ι	-ocatio	n Total:	
Location:	8 - Kitchen App	rox. \	Wall SF: 0		Ceiling/Floor S	F: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 22	Plumbing					
30 6715	DRAIN, WASTE, VENTPVC		8.00	LF		

Address:	5210 Susan Street	Unit:	Unit 01			
Location:	8 - Kitchen	pprox. \	Wall SF: 0		Ceiling/Floor SI	=: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 2	2 Plumbing					
	Replace sink drain with Schedule 40 PVC pipe and fit additional plumbing needed beyond immediate vicinit addressed on Change Order basis.		ny			
Trade: 2	5 Appliances					
31 8445	ELECTRIC OVEN		1.00	EA		
	Dispose of wall oven. Install an electric, wall oven in cabinet. Match existing color as closely as possible.	same				
32 8491	DISHWASHER2 CYCLEENERGY STAR replace existing dishwasher with a 2 cycle, built-in En Star® labeled dishwasher including all alterations and connections to plumbing and electric system. Whirlpo 267844 Model: DU811SWPU - or - GE Model GSD130	ol #:	1.00	EA		
33 8502	DISPOSAL3/4 HP Install a InSinkErator 3/4 HP Evolution Essential garb disposal with reset button and hand crank. Include pl and electrical connections.		1.00	EA		
			L	ocatio	n Total:	
Location:	9 - Den	pprox. \	Wall SF: 0		Ceiling/Floor SI	=: 0
Spec #	Spec		Quantity	Units	Unit Price	Total Price
Trade: 1	General Requirements					
34 5909	VINYL PLANK FLOORING INSTALL		120.00	SF		
	Install new vinyl plank flooring over existing flooring. No plank floor will be 100% waterproof- Home Depot Home Decorators style vinyl plank flooring or approved equathickness or greater. Include all transition pieces at he	ne ıl 4.2 mr				
Trade: 10	Carpentry					
35 2312		'4" tongı	120.00 ue	SF		

SUBFLOOR3/4" Remove existing floor covering and subfloor. Install 3/4" tongue and groove CDX plywood decking nailed 8" on center using screw shank or cement coated nails.	120.00	SF	
DOOR & FRAMEMETAL SECURITY Field measure, fabricate, prime, topcoat and install a barred security door in a steel angle iron frame, and a heavy duty galvanized steel screen, with a single cylinder dead bolt lockset. Use 1/2"x 1/2" steel bars no more than 5" on center.	1.00	EA	
DOORPREHUNG METAL ENTRANCE Dispose of door and frame. Install a prehung metal, insulated, 6-panel entrance door and jamb including interior and exterior casing, peep hole, spring metal weatherstripping, interlocking threshold, one entrance and one mortised deadbolt keyed alike. Prime and top coat.	1.00	EA	

Add	ress: 521	0 Susan Street	Unit:	Unit 01			
Loca	tion:	9 - Den #	Approx. \	Wall SF: 0	(Ceiling/Floor SF	: 0
S	Spec#	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 10	Carpentry					
38	Custom	STEPSREPLACE Dispose of existing steps. Rebuild step entrance betwand Kitchen and attach to adjacent wall. Include hand covering, and transitions to match.			RI		
Trade	: 23	Electric					
39	7560	RECEPTACLE REPLACE On West wall, replace receptacle with duplex receptace cover plate to match existing. Inspect box mounting to the cover plate fits tight to wall.		1.00	EA		
40	7819	Replace existing fixture with an ENERGY STAR approaciling mounted Fan/Light fixture, such as the Panaso Wisper Green with an integral damper, and vented to exterior. The fixture must accommodate Switch fan Susing a single switch with a time delay for the fan suc EFI Fan/Light Time Delay Switch or equipped with a sensor. Tie into existing duct work where possible. Cl duct seams seal any gaps with duct mastic. Insulate ductwork with vinyl or foil faced R 8 minimum duct insulate reciling installation and air seal fan/light assembly ceiling with low VOC caulk.	onic the k light h as the humidist neck all the sulation. nage to		EA		
				L	ocation	n Total:	
Loca	ition:	10 - Master Bedroom	Approx. \	Wall SF: 0	(Ceiling/Floor SF	: 0
S	Spec#	Spec		Quantity	Units	Unit Price	Total Price
Trade	: 1	General Requirements					
41	2983	WINDOWVINYLREPLACEMENT On East wall, field measure and install a PVC, single replacement window that meets ENERGY STAR starthis climate U value and SHGC. Include 1/2 screen. Vexterior jamb and sill with aluminium coil stock back and nailed 6" on center. Retrim opening with casing, stool to match existing. Prep for paint where necessal	idards fo Vrap caulked apron, a		EA		

Trade: 17 Drywall & Plaster

42 5210 DRYWALL--PATCH--LARGE 9.00 SF _______
In closet, cut back defective gypsum to expose half of the studs

In closet, cut back defective gypsum to expose half of the studs on each side of the hole. Cut and tightly fit drywall patch. Glue and nail or screw patch. Apply tape and 3 coats of compound feathered out at least 8". Wet sand ready for paint.

Location Total:	

Location: 11 - Basement Approx. Wall SF: 0 Ceiling/Floor SF: 0

Addres	ss: 52	10 Susan Street	Unit:	Unit 01			
Locatio	n:	11- Basement A	pprox. \	Wall SF: 0		Ceiling/Floor S	F: 0
Spe	c#	Spec		Quantity	Units	Unit Price	Total Price
Trade:	10	Carpentry					
43 94	477	VINYL BASEMENT WINDOW Dispose of entire basement window and jamb. Refrar opening with 2" x 8" casing and install an awning or sl single glazed window with a piggyback storm window.	ider typ	4.00 e	EA		
Trade:	17	Drywall & Plaster					
44 52	210	DRYWALLPATCHLARGE In basement stairway, cut back defective gypsum to e half of the studs on each side of the hole. Cut and tig drywall patch. Glue and nail or screw patch. Apply ta coats of compound feathered out at least 8". Wet san for paint.	ntly fit pe and		SF		
				L	_ocatio	n Total:	
		Unit Total for	5210 S	Susan Stree	t, Unit	Unit 01:	
		Address Gra	nd To	tal for 5210	Susar	Street:	
		Bidder:					